


 **Patons**

BOOK 1217
PATONS 8 PLY
& FASHION YARNS
17 STYLES & HATS
SIZES 6 MTHS
TO 4 YEARS

designer
hand knits
for **tots**



BONUS
LEARN TO
KNIT GUIDE

01

Front Cover: Style 1

I Love Teddy Jacket
with Loopy Trim.
Style 2: Loopy Teddy.


This Page: Style 3

Gumnut Ribby Sweater
& Hat with Feathers Trim.

Style 4

Basket Weave Texture
Yoke Sweater and
Hat in 8ply

madam.sytes.net



Style 5

Tufted Textured Jacket &
Hat in Feathers & 8ply

madam.sylvia.com

Style 6

Luxurious Fluffy Poncho &
Hat in Loopy & Ostrich
(Worked Together)

madam.syles.net

Style 7

Easy Colourful Stripe
Tunic & Hat in Bply



Style 8

Feature Cable Funnel
Neck Sweater & Hat
in 8ply

madam.sytes.ru

Style 9

Little Red Riding Hood
Jacket & Hat in 8ply
with Ostrich Trim



madamcytes.net



Designer Hand Knits for Tots


Baby and Toddler Hand Knit garments are always popular in the Patons range. For the first time, Patons has designed this special collection of fashion styles in sizes to fit 6 month old babies to 4 year old tots.

The Patons yarn range offers an extensive palette of colours to select from in 8 ply with co-ordinating fashion, fancy yarns such as Feathers, Ostrich and Loopy Mohair. These yarns have been worked in textures which are mostly simple knit, purl or slip stitch combinations. The fashion, fancy yarns are a little unusual when used for the first time, however easily create a fabulous effect. They are also 'forgiving' to those who are new to the art of knitting.

This collection has a selection of sweaters, tunics, jackets and a poncho with matching beanies and hats to compliment the outfit. Patons photographed these styles on 1 year old toddlers. As kids grow remarkably quickly and vary in size for age, we suggest you refer to the "Garment Measures" figures in the instructions, rather than the age figures (which are a guide only). Page 28 has a chart with important measuring points - around the chest at underarm, the body length and sleeve length. Just select the closest size and adjust the body and sleeve lengths for a perfect fit.

Patons has introduced a "STOP SIGN" which is generally placed approximately 15cm from the beginning of the Back. By working to the centre of a row (1/2 the stitches will be on each needle), you can lay your knitting on a flat surface and measure the width of the piece. This should be half the total body measurement you selected - **IF YOUR TENSION IS CORRECT**. If larger or smaller, your garment when finished will not fit perfectly. It is important to take action at this stage.

A fashion hand knit garment makes a special and unique statement - one that will delight your family and friends.



Helpful Hints

1	Back stitch seam	p. 14
2	Flat seam	p. 17
3	Satin stitch	p. 17
4	To make a twisted cord	p. 20
5	Pom Pons	p. 23
6	Ensuring a perfect fit	p. 28
7	Knitting up stitches	p. 31
8	Picture knitting using the winding yarn method	p. 36
9	Neatening the side edge of your cast on	p. 39
10	Tassels	p. 47
11	Sewing in set in sleeves	p. 53
12	Neatening of cast off buttonholes	p. 56
13	Measurements	p. 56
14	Knitting stitch embroidery	p. 59
15	Knitting abbreviations	p. 60
16	Patons handknit rating	p. 60

BONUS - *Centre Insert* - LEARN TO KNIT INSTRUCTIONS


To make your garment fit perfectly, tension must be accurate. To achieve correct tenion, work as instructed in the table before you begin your garment. It is always advisable especially with FANCY FASHION yarns to work a tension sample and to constantly check your work as you proceed. Place knitting on a flat surface. Using a long ruler, measure from side edge to side edge, this measurement should be **half** the Finished Garment Measurement stated in the pattern. A stop symbol is placed in each instruction at the point this measurement should be taken on the Back.

* Correct Tension is the secret of a successful garment.



Index of Styles

Style	Description	Instructions
1	I Love Teddy Jacket & Hat with Loopy Trim	p. 12
2	Loopy Teddy	p. 15
3	Gumnut Ribby Sweater & Hat with Feathers Trim	p. 18
4	Basket Weave Texture Yoke Sweater & Hat in 8 Ply	p. 21
5	Tufty Textured Jacket & Hat in Feathers & 8 Ply	p. 24
6	Luxurious Fluffy Poncho & Hat in Loopy & Ostrich	p. 27
7	Easy Colourful Stripe Tunic & Hat in 8 Ply	p. 29
8	Feature Cable Funnel Neck Sweater & Hat in 8 Ply	p. 32
9	Little Red Riding Hood Jacket & Hat in 8 Ply with Ostrich Trim	p. 34
10	Checkerboard Tunic Sweater & Hat in 8 Ply	p. 37
11	Wee Willie Winkie Cross Over Shawl Neck Sweater & Hat in 8 Ply	p. 40
12	5 Colour Slip Stitch Jacket & Hat in 8 Ply	p. 42
13	Feather & Fan Tunic & Hat in Feathers & 8 Ply	p. 45
14	Bunny Rabbit Cardigan & Hat in 8 Ply	p. 48
15	Colourful Moss Stitch Jacket & Hat in 8 Ply	p. 51
16	Ostrich & 8 Ply Fur Coat & Hat	p. 54
17	Gorgeous Fluffy Sweater & Hat in Ostrich & 8 Ply	p. 57



1. I LOVE TEDDY JACKET & HAT WITH LOOPY TRIM

MEASUREMENTS

Size (approx)

Jacket

Fits underarm

Garment measures (approx)

Length

Sleeve fits (approx)

Hat (fits head approx)

The jacket is designed to be a generous fit.

	6	12	18	2	3	4
cm	45	50	52.5	55	57.5	60
ins	18	20	21	22	23	24
cm	53	59	63	65	69	72
cm	29	33	35	40	42	44
cm	16	19	21	23	26	28
cm	45	48	48	52	52	52

PATONS YARN REQUIRED -

Jacket

8 PLY YARNS 50g balls

1st Contrast (C1)

2nd Contrast (C2)

LOOPY MOHAIR 50g balls

Hat

8 PLY YARNS 50g balls

1st Contrast (C1)

2nd Contrast (C2)

LOOPY MOHAIR 50g balls

3	4	4	5	5	6
3	3	4	4	5	5
2	2	3	3	3	4
1	1	1	1	1	1
1	1	1	1	1	1
1	1	1	2	2	2

IMPORTANT! Use only the yarns specified for these garments. Other yarns may give unsatisfactory results. Quantities are approximate as they can vary between knitters.

1 pair each 5.50mm (No 5) and 4.00mm (No 8) Knitting Needles or sizes needed to give correct tension. 4 (5-5-6-6-6) Buttons for Jacket; Knitters Needle for sewing seams.

TENSION - 21 sts and 38 rows to 10 cm over moss st, using 4.00mm Needles and 8 Ply. To work tension square, use 4.00mm Needles and 8 Ply, cast on 31 sts. Work 56 rows moss st as for Back of Jacket. Cast off loosely. Please check your tension carefully. If less sts use smaller needles, if more sts use bigger needles.

ABBREVIATIONS - See page 60.

JACKET

BACK

Using 5.50mm Needles and Loopy Mohair, cast on 37 (41-43-45-47-49) sts loosely.

Work in stocking st until work measures 3 (3-4-4-4-5) cm from beg, ending with a knit row.

Next row - P8 (8-8-9-9-9), inc once in each of next 20 (24-26-26-28-30) sts, P9 (9-9-10-10-10) ... 57 (65-69-71-75-79) sts.

Change to 4.00mm Needles and beg patt.

Note - This instruction has been written specifically for the stitch pattern given. Using any other stitch may result in a garment that is the wrong shape or size.

Using C1 8 Ply, 1st row - K1, * P1, K1, rep from * to end (moss st).

2nd row - As 1st row.

Using C2 8 Ply, 3rd row - As 1st row.

4th row - As 1st row.

Last 4 rows form moss st patt.

Cont in patt until work measures 15 cm from beg, working last row on wrong side.



**HAVE YOU CHECKED YOUR TENSION?
NOW IS THE POINT TO CHECK THE
WIDTH OF THE BACK BEFORE YOU
CONTINUE!**

Patt to centre of next row, your panel should measure approx 26.5 (29.5-31.5-32.5-34.5-36) cm in width for a perfect fit, patt to end of row.

Cont in patt until work measures 17 (20-21-26-27-29) cm from beg, working last row on wrong side.

SHAPE ARMHOLES - Keeping patt correct, cast off 3 (4-4-4-5-5) sts at beg of next 2 rows ... 51 (57-61-63-65-69) sts.

Dec at each end of next and alt row/s until 47 (51-53-55-57-59) sts rem.

Cont in patt without shaping until work measures 29 (33-35-40-42-44) cm from beg, working last row on wrong side.

SHAPE SHOULDERS - Cast off 4 (5-5-5-6-6) sts at beg of next 4 rows, then 5 (4-5-6-5-5) sts at beg of foll 2 rows.

Cast off rem 21 (23-23-23-23-25) sts in patt.

LEFT FRONT

Using 5.50mm Needles and **Loopy Mohair**, cast on 17 (19-20-21-22-23) sts loosely.

Work in stocking st until work measures 3 (3-4-4-4-5) cm from beg, ending with a knit row.

Next row - P3, inc once in each of next 10 (12-13-14-15-16) sts, P4 ... 27 (31-33-35-37-39) sts. Change to 4.00mm Needles and **beg patt**.

Work in patt as for Back until work measures same as Back to beg of armhole shaping, ending with same patt row. **

SHAPE ARMHOLE - Keeping patt correct, cast off 3 (4-4-4-5-5) sts at beg of next row ... 24 (27-29-31-32-34) sts.

Dec at armhole edge in alt rows until 22 (24-25-27-28-29) sts rem.

Cont in patt without shaping until work measures 4 (4.5-4.5-5-5-5.5) cm less than Back to beg of shoulder shaping, working last row on right side.

SHAPE NECK - **Next row** - Cast off 5 (5-5-6-6-6) sts, patt to end ... 17 (19-20-21-22-23) sts.

Dec at neck edge in next and alt rows until 13 (14-15-16-17-17) sts rem.

Cont in patt without shaping until work measures same as Back to beg of shoulder shaping, ending with same patt row.

SHAPE SHOULDER - Cast off 4 (5-5-5-6-6) sts at beg of next row and foll alt row. Work 1 row. Cast off rem 5 (4-5-6-5-5) sts.

RIGHT FRONT

Work as for Left Front to **.

Work 1 row patt.

SHAPE ARMHOLE - Keeping patt correct, cast off 3 (4-4-4-5-5) sts at beg of next row ... 24 (27-29-31-32-34) sts.

Dec at armhole edge in next and alt rows until 22 (24-25-27-28-29) sts rem.

Cont in patt without shaping until work measures 4 (4.5-4.5-5-5-5.5) cm less than Back to beg of shoulder shaping, working last row on wrong side.

SHAPE NECK - **Next row** - Cast off 5 (5-5-6-6-6) sts, patt to end ... 17 (19-20-21-22-23) sts.

Dec at neck edge in alt rows until 13 (14-15-16-17-17) sts rem.

Cont in patt without shaping until work measures same as Back to beg of shoulder shaping, ending with same patt row.

Work 1 row patt.

SHAPE SHOULDER - Cast off 4 (5-5-5-6-6) sts at beg of next row and foll alt row. Work 1 row. Cast off rem 5 (4-5-6-5-5) sts.

SLEEVES

Using 5.50mm Needles and **Loopy Mohair**, cast on 19 (21-23-23-25-25) sts loosely.

Work in stocking st until work measures 3 (3-4-4-4-5) cm from beg, ending with a knit row.

Next row - P4 (1-5-4-5-4), inc in next st, * P0 (1-0-0-0-0), inc in next st, rep from * to last 5 (1-6-5-6-5) sts, P5 (1-6-5-6-5) ... 29 (31-35-37-39-41) sts.

Change to 4.00mm Needles and **beg patt**.

Work in patt as for Back and working extra sts into patt, inc at each end of 5th row and foll 4th (6th-6th-6th-8th-8th) rows until there are 35 (37-45-47-51-49) sts, then in foll 6th (8th-8th-8th-10th-10th) rows until there are 41 (43-49-53-55-57) sts.

Cont in patt without shaping until work measures approx 16 (19-21-23-26-28) cm (or length desired) from beg, ending with same patt row as for Back to beg of armhole shaping.

SHAPE TOP - Keeping patt correct, cast off 2 (2-2-2-3-3) sts at beg of next 2 rows ... 37 (39-45-49-49-51) sts.

Dec at each end of next and foll 4th rows until 27 (29-37-43-41-45) sts rem, then in alt rows until 11 (11-11-13-13-13) sts rem.

Work 1 row patt. Cast off in patt.

COLLAR

Using 5.50mm Needles and **Loopy Mohair**, cast on 43 (49-49-53-53-59) sts loosely.

Work in stocking st until work measures 3 cm from beg, ending with a knit row.

Next row - P8 (10-10-10-10-12), inc once in each of next 26 (28-28-32-32-34) sts, P9 (11-11-11-11-13) ... 69 (77-77-85-85-93) sts.

Knit in garter st until work measures 5 (5-5-6-6-6) cm from beg, working last row on wrong side.

Next row - K5, * sl 1, K2tog, psso, K5, rep from * to end ... 53 (59-59-65-65-71) sts.

Cast off 5 (6-6-7-7-8) sts at beg of next 6 rows.

Cast off rem 23 sts.

RIGHT FRONT BAND FOR GIRL OR LEFT FRONT BAND FOR BOY

Using 4.00mm Needles and C1 8 Ply, cast on 6 sts.

Knit 5 rows garter st (1st row is wrong side).

6th row - K2, cast off 2 sts, K2.

7th row - K2, turn, cast on 2 sts, turn, K2 ... buttonhole.

Knit 20 (20-20-20-22-22) rows garter st.

Rep last 22 (22-22-22-24-24) rows 2 (3-3-4-4-4) times, then 6th and 7th rows once ... 4 (5-5-6-6-6) buttonholes in all.

Knit 4 rows garter st.

Cast off knitways.

LEFT FRONT BAND FOR GIRL OR RIGHT FRONT BAND FOR BOY

Work to correspond with other front band, omitting buttonholes.

MAKE UP

DO NOT PRESS. Using Knitters Needle sew in all ends. Using back-stitch and 8 Ply, join shoulder seams. Join side and sleeve seams. Sew in sleeves. Using a flat seam, sew front bands in position. Using a flat seam, sew collar in position, beg and ending at centre of front bands. Sew on buttons.

HAT

Using 5.50mm Needles and Loopy Mohair, cast on 58 (62-62-66-66-66) sts loosely.

Work in stocking st until work measures 6 (8-8-10-10-10) cm from beg, ending with a knit row.

Next row - P11, inc once in each of next 35 (39-39-43-43-43) sts, P12 ... 93 (101-101-109-109-109) sts.

Change to 4.00mm Needles and beg patt.

Using 8 Ply work in moss st patt as for Back of Jacket until work measures 10 (11-11-13-13-13) cm from needle change, working last row on wrong side.

SHAPE CROWN - 1st row - Moss 5, * sl 1, work 2tog, psso, moss 5, rep from * to end ... 71 (77-77-83-83-83) sts.

Work 3 rows patt.

5th row - Moss 5, * sl 1, work 2tog, psso, moss 3, rep from * to end ... 49 (53-53-57-57-57) sts.

Work 1 (3-3-3-3-3) row/s patt.

Next row - Moss 5, * sl 1, work 2tog, psso, moss 1, rep from * to end ... 27 (29-29-31-31-31) sts.

Work 1 row patt.

Next row - Moss 0 (2-2-1-1-1), * sl 1, work 2tog, psso, rep from * to end ... 9 (11-11-11-11-11) sts.

Work 1 row.

Break off yarn, run end through rem sts, draw up tightly and fasten off securely.

EARS (make 2)

Using 5.50mm Needles and Loopy Mohair, cast on 8 sts loosely.

Work 4 rows stocking st.

5th row - K2tog, K4, K2tog ... 6 sts.

6th row - P2tog, P2, P2tog ... 4 sts.

Cast off knitways.

MAKE UP

DO NOT PRESS. Using Knitters Needle sew in all ends. Using back-stitch and 8 Ply, join seam. Using 8 Ply, sew ears in position as pictured. Using 8 Ply and C1 and C2, make two twisted cords (see page 20) and attach to inside of Loopy Mohair edging as pictured.

BACK-STITCH SEAM

This is the method most commonly used for joining knitted garments. Hold the pieces together with right sides inside. The seam should be sewn one full stitch in from the end of each row so that all seams will be even. One stitch should be worked over every row. Darn in all ends of yarn after sewing seams.



2. LOOPY TEDDY

MEASUREMENTS

Height (approx)	cm	33
	ins	13

PATONS YARN REQUIRED -

LOOPY MOHAIR 50g balls

Quantity 4

Small quantity of **8 Ply** yarn for ears and embroidery in 3 colours.

IMPORTANT! Use only the yarn specified for this item. Other yarns may give unsatisfactory results. Quantities are approximate as they can vary between knitters.

1 pair each 5.00mm (No 6) and 4.00mm (No 8) Knitting Needles or sizes needed to give correct tension. 1 Stitch Holder; One pair of black 12mm wide safety eyes; Washable filling; Knitters Needle for sewing seams.

TENSION - 16 sts and 21 rows to 10 cm over stocking st, using 5.00mm Needles. To work tension square, use 5.00mm Needles, cast on 24 sts. Work 32 rows stocking st. Cast off loosely. Please check your tension carefully. If less sts use smaller needles, if more sts use bigger needles.

ABBREVIATIONS - See page 60.

BODY (Make 2, beg at base)

Using 5.00mm Needles and **Loopy Mohair**, cast on 5 sts.

Work 3 rows stocking st, inc at beg of 2nd and 3rd rows ... 7 sts.

4th row - Purl, inc 2 sts in centre.

5th row - Knit.

Rep 4th and 5th rows 7 times ... 23 sts.

Work 13 rows stocking st, beg with a purl row.

Dec at beg of each row until 9 sts rem.

Cast off loosely.

RIGHT SIDE OF HEAD (when finished)

Using 5.00mm Needles and **Loopy Mohair**, cast on 10 sts.

Work 2 rows stocking st.

3rd row - Knit to last st, inc in last st ... 11 sts.

4th row - Inc purlways in first st, purl to last st, inc purlways in last st ... 13 sts.

5th row - Knit.

6th row - Cast on 2 sts, purl to end ... 15 sts.

7th row - Knit.

8th row - Cast on 2 sts, purl to end ... 17 sts.

9th row - Knit to last st, inc in last st ... 18 sts.

10th row - Inc purlways in first st, purl to last st, inc purlways in last st ... 20 sts.

11th row - Knit.

12th row - Inc purlways in first st, purl to end ... 21 sts.

Work 5 rows stocking st.

Tie a coloured thread at end of last row.

18th row - Cast off 6 sts, purl to end ... 15 sts.

Cont in stocking st, dec at end of every row until 8 sts rem. Cast off.

LEFT SIDE OF HEAD (when finished)

Using 5.00mm Needles and **Loopy Mohair**, cast on 10 sts.

Work 2 rows stocking st.

3rd row - Inc in first st, knit to end ... 11 sts.

4th row - Inc purlways in first st, purl to last st, inc purlways in last st ... 13 sts.

5th row - Cast on 2 sts, knit to end ... 15 sts.

6th row - Purl.

7th row - Cast on 2 sts, knit to end ... 17 sts.

8th row - Purl.

9th row - Inc in first st, knit to end ... 18 sts.

10th row - Inc purlways in first st, purl to last st, inc purlways in last st ... 20 sts.

11th row - Knit.

12th row - Purl to last st, inc purlways in last st ... 21 sts.

Work 6 rows stocking st.

Tie a coloured thread at end of last row.

19th row - Cast off 7 sts, knit to end ... 14 sts.

Cont in stocking st, dec at beg of every row until 8 sts rem. Cast off.

HEAD GUSSET (beg at back of head)

Using 5.00mm Needles and **Loopy Mohair**, cast on 5 sts.

Work in stocking st, inc at each end of 9th and 10th rows until there are 13 sts.

Work 5 rows stocking st, beg with a purl row.

Dec at each end of next and alt rows until 5 sts rem.

Work 4 rows stocking st, beg with a purl row.

Dec at each end of next row ... 3 sts.

Work 2 rows stocking st. Cast off.

LEGS (make 2)

Using 5.00mm Needles and **Loopy Mohair**, cast on 26 sts.

Work 6 rows stocking st.

DIVIDE FOR INSTEP - Next row - K13, turn.

Cont on these 13 sts.

Dec at beg of next row and foll alt row ... 11 sts.
Work 1 row.

Next row - Cast off 5 sts, purl to end ... 6 sts.

Next row - Inc in first st, knit to end ... 7 sts.

Next row - Purl to last st, inc purllways in last st ... 8 sts.

Work 1 row.

Break off yarn, leave sts on end of needle.

With right side facing, rejoin yarn to rem sts and knit to end.

Cont on these 13 sts.

Dec one st at end of next row and foll alt row ... 11 sts.

Next row - Cast off 5 sts, knit to end ... 6 sts.

Next row - Purl to end.

Next row - Knit to last st, inc in last st ... 7 sts.

Next row - Inc purllways in first st, purl to end ... 8 sts.

Work 1 row.

JOINING ROW - Next row - P8, then P8 sts on end of needle ... 16 sts.

Work 6 rows stocking st.

Next row - Inc in first st, K6, inc once in each of next 2 sts, K6, inc in last st ... 20 sts.

Work 3 rows stocking st, beg with a purl row.

DIVIDE FOR TOP SHAPING - Next row - K10, turn.
Cont on these 10 sts.

Dec at each end of next 2 rows ... 6 sts.

Cast off rem sts purllways.

With right side facing, join yarn to rem sts and knit to end.

Cont on these 10 sts.

Dec one st at each end of next 2 rows ... 6 sts.

Cast off rem sts purllways.

ARMS (make 2)

Using 5.00mm Needles and **Loopy Mohair**, cast on 5 sts.

Work 3 rows stocking st, inc at each end of 2nd and 3rd rows ... 9 sts.

Next row - Purl to last st, inc purllways in last st ... 10 sts.

Next row - Inc in first st, knit to end ... 11 sts.

Next row - Purl to last st, inc purllways in last st ... 12 sts.

Break off yarn, leave sts on stitch-holder.

Using 5.00mm Needles and **Loopy Mohair**, cast on 5 sts.

Work 3 rows stocking st, inc at each end of 2nd and 3rd rows ... 9 sts.

Next row - Inc purllways in first st, purl to end ... 10 sts.

Next row - Knit to last st, inc in last st ... 11 sts.

Next row - Inc purllways in first st, purl to end ... 12 sts.

JOINING ROW - Next row - Knit across these 12 sts, then knit across 12 sts from stitch-holder ... 24 sts.

Purl 1 row.

Next row - K2tog, knit to last 2 sts, K2tog.

Next row - Purl.

Rep last 2 rows twice ... 18 sts.

Work 12 rows stocking st.

Next row - Inc in first st, knit to last st, inc in last st ... 20 sts.

Next row - Purl.

Rep last 2 rows once ... 22 sts.

DIVIDE FOR TOP - Next row - K11, turn.

Cont on these 11 sts.

Dec at beg of each row until 6 sts rem.

Cast off.

With right side facing, join yarn to rem sts and knit to end.

Cont on these 11 sts.

Dec at end of each row until 6 sts rem.

Cast off.

OUTER EARS (make 2)

Using 5.00mm Needles and **Loopy Mohair**, cast on 8 sts.

Work 4 rows stocking st.

Dec at beg of each row until 4 sts rem.

Cast off.

INNER EARS (make 2)

Using 4.00mm Needles and **8 Ply**, cast on 10 sts.

Work 5 rows stocking st.

Dec at beg of each row until 5 sts rem.

Cast off.

MAKE UP

Using Knitters Needle sew in all ends. **NOTE -** Purl side of knitted pieces is the right side. Join body pieces tog, leaving an opening at top (neck edge) and noting that seams sit at centre front and back. Stitch head pieces to each side of head gusset, placing cast-on edges at back of head and noting that gusset finishes at point of coloured


threads (nose). Join seam under nose. Turn right side out. Secure eyes in position. Fill Head and Body and join together. With right sides tog, fold arms and stitch seam, leaving an opening. Turn, fill and close opening. With right sides tog, fold legs and stitch back and foot seam, leaving an opening at back. Turn, fill and close opening. Attach Legs and Arms to body. With right sides

tog, join inner and outer ears, leaving straight (cast on) edge unstitched. Turn, stitch ears in position, as pictured. Using 8 Ply embroider nose and mouth as pictured. To create eye sockets, take a length of yarn from below eye down towards base of neck at back of head. Carefully pull thread until eye sinks into head. Secure with a stitch and thread ends into head.

FLAT SEAM

This method is sometimes used for knitted garments but more often for crochet garments. A flat seam may be worked from either the right or the wrong side of the work. Place the 2 pieces of fabric evenly together and sew stitch by stitch, always bringing the needle up from underneath to top through the centre of the stitch, then in same manner through corresponding stitch on second piece.

Note - Diagram shows knitted fabric, but method is the same for knitting or crochet. Always keep work elastic - there should be as much stretch in your seam as there is in the rest of your garment.



SATIN STITCH

Work straight stitches closely together across the shape. Care must be taken to keep a good edge. Take care not to pull the stitches too tightly, to prevent puckering.



3. GUMNUT RIBBY SWEATER & HAT WITH FEATHERS TRIM ▲▲

MEASUREMENTS

Size (approx)

Sweater

Fits underarm

Garment measures (approx)

Length

Sleeve fits

Hat (fits head approx)

The sweater is designed to be a generous fit.

	6	12	18	2	3	4
cm	45	50	52.5	55	57.5	60
ins	18	20	21	22	23	24
cm	53	59	63	65	69	72
cm	29	33	35	40	42	44
cm	16	19	21	23	26	28
cm	45	48	48	52	52	52

PATONS YARN REQUIRED -

Sweater

8 PLY YARNS 50g balls

FEATHERS 50g balls

Hat

8 PLY YARNS 50g balls

FEATHERS 50g balls

4	5	6	7	8	9
1	1	1	1	1	1
2	2	2	3	3	3
1	1	1	1	1	1

IMPORTANT! Use only the yarns specified for these garments. Other yarns may give unsatisfactory results. Quantities are approximate as they can vary between knitters.

1 pair 4.00mm (No 8) Knitting Needles or size needed to give correct tension. 2 Stitch Holders and 2 Buttons for **Sweater**; Length of Hat Elastic for **Hat**; Knitters Needle for sewing seams.

TENSION - 25 sts and 30 rows to 10 cm over patt, using 4.00mm Needles and 8 Ply. To work tension square, use 4.00mm Needles and 8 Ply, cast on 39 sts. Work 44 rows main patt as for Back of Sweater. Cast off loosely. Please check your tension carefully. If less sts use smaller needles, if more sts use bigger needles.

ABBREVIATIONS - See page 60.

SWEATER

BACK

Using 4.00mm and **Feathers**, cast on 207 (219-231-243-255-267) sts.

Note - If this number of sts will not fit comfortably on needle we suggest using a circular needle. This instruction has been written specifically for the stitch pattern given. Using any other stitch may result in a garment that is the wrong shape or size.

Using 8 Ply for rem, **beg pleated edging - 1st**

row - P3, * K9, P3, rep from * to end.

2nd row - K3, * P9, K3, rep from * to end.

3rd row - P3, * ybk, sl 1, K1, psso, K5, K2tog, P3, rep from * to end.

4th row - K3, * P7, K3, rep from * to end.

5th row - P3, * ybk, sl 1, K1, psso, K3, K2tog, P3, rep from * to end.

6th row - K3, * P5, K3, rep from * to end.

7th row - P3, * ybk, sl 1, K1, psso, K1, K2tog, P3, rep from * to end.

8th row - K3, * P3, K3, rep from * to end.

9th row - P3, * ybk, sl 1, K2tog, psso, P3, rep from * to end.

10th row - K3, * P1, K3, rep from * to end.

Beg main patt - 11th row - P3, * K1, P3, rep from * to end.

12th row - K3, * P1, K3, rep from * to end.

Last 2 rows form main patt. ***

Cont in main patt on rem 71 (75-79-83-87-91) sts until work measures 15 cm from beg, working last row on wrong side.



**HAVE YOU CHECKED YOUR TENSION?
NOW IS THE POINT TO CHECK THE
WIDTH OF THE BACK BEFORE YOU
CONTINUE!**

Patt to centre of next row, your panel should measure approx 26.5 (29.5-31.5-32.5-34.5-36) cm in width for a perfect fit, patt to end of row.

Cont in patt until work measures 17 (20-21-26-27-29) cm from beg, working last row on wrong side.

SHAPE ARMHOLES - Keeping patt correct, cast off 4 (4-4-5-5-5) sts at beg of next 2 rows ... 63 (67-71-73-77-81) sts.

Dec at each end of next and alt rows until 55 (59-63-65-67-71) sts rem. **

Cont in patt without shaping until work measures 29 (33-35-40-42-44) cm from beg, working last row on wrong side.

SHAPE SHOULDERS - Cast off 5 (5-6-6-6-7) sts at beg of next 4 rows, then 5 (6-6-6-7-7) sts at beg of foll 2 rows.

Leave rem 25 (27-27-29-29-29) sts on a stitch-holder.

FRONT

Work as for Back to **.

Cont in patt without shaping until work measures 6 (6.5-6.5-7-7-7.5) cm less than Back to beg of shoulder shaping, working last row on wrong side.

SHAPE NECK - Next row - Patt 22 (24-26-27-28-30), turn.

Cont on these 22 (24-26-27-28-30) sts.

Dec at neck edge in every row until 15 (16-18-18-19-21) sts rem.

Cont in patt without shaping until work measures 2 cm less than Back to beg of shoulder shaping, working last row on wrong side.

Note - This side of neck is 2 cm lower to accommodate shoulder opening.

SHAPE SHOULDER - Cast off 5 (5-6-6-6-7) sts at beg of next row and foll alt row. Work 1 row. Cast off rem 5 (6-6-6-7-7) sts.

Slip next 11 sts onto stitch-holder and leave.

Join yarn to rem sts and patt to end.

Cont on last 22 (24-26-27-28-30) sts.

Dec at neck edge in every row until 15 (16-18-18-19-21) sts rem.

Cont in patt without shaping until work measures same as Back to beg of shoulder shaping, working last row on right side.

SHAPE SHOULDER - Cast off 5 (5-6-6-6-7) sts at beg of next row and foll alt row. Work 1 row. Cast off rem 5 (6-6-6-7-7) sts.

SLEEVES

Using 4.00mm Needles and Feathers, cast on 99 (111-111-123-135-135) sts.

Using 8 Ply for rem, work pleated edging as for Back to **.

Cont in main patt on rem 35 (39-39-43-47-47) sts and working extra sts into patt, inc at each end of next and foll alt (6th-4th-4th-4th-4th) row/s until there are 39 (45-55-59-51-51) sts, then in foll 4th (8th-6th-6th-6th-6th) row/s until there are 47 (49-57-63-65-67) sts.

Cont without shaping until work measures 16 (19-21-23-26-28) cm from beg, working last row on wrong side.

SHAPE TOP - Keeping patt correct, cast off 2 (2-2-3-3-3) sts at beg of next 2 rows ... 43 (45-53-57-59-61) sts.

Dec at each end of next and alt rows until 21 (21-33-39-39-43) sts rem, then in every row until 11 (11-11-13-13-13) sts rem. Cast off.

FRONT SHOULDER BAND

With right side facing, using 4.00mm Needles and 8 Ply, knit up 15 (15-17-17-17-19) sts evenly along front shoulder and side edge of neckband.

Knit 3 rows garter st.

4th row - K6, cast off 2 sts, K7 (7-9-9-9-11).

5th row - K7 (7-9-9-9-11), turn, cast on 2 sts, turn, K6 ... buttonhole.

Knit 2 rows garter st. Cast off knitways.


BACK SHOULDER BAND

Work to correspond with Front Shoulder Band, omitting buttonhole.

NECKBAND

Using back-stitch, join right shoulder seam. With right side facing, using 4.00mm Needles and Feathers, knit up 8 (9-9-10-10-11) sts evenly along left side of neck and side edge of shoulder

6. CAST-OFF



Knit two stitches.



Pick up the 1st stitch,
lift over the 2nd stitch.



and drop it off the
needle



Knit one more stitch to
make 2 on your needle.
Lift the 1st stitch over
as you did before.
Carry on like this until
there is only 1 stitch left



Break the end and put it
through the stitch.
Slip the stitch off the
needle and pull the end
tight.



 **Patons**

Published with all rights reserved by Patons

(Australia) Ltd

Head Office

81-85 Denmark St

Kew Vic 3101

PH: 03 9852 9444

Patt to centre of next row, your panel should measure approx (slightly stretched) 26.5 (29.5-31.5-32.5-34.5-36) cm
in width for a perfect fit, patt to end of row.

Cont in patt until work measures 17 (20-21-26-27-29) cm from beg, working last row on wrong side.
SHAPE ARMHOLES - Keeping patt correct, cast off 4 (4-5-5-6-7) sts at beg of next 2 rows ... 67 (72-75-80-83-86) sts.
Dec at each end of next and alt rows until 59 (64-67-70-73-74) sts rem.
Cont in patt without shaping until work measures 29 (33-35-40-42-44) cm from beg, working last row on wrong side.
SHAPE SHOULDERS - Cast off 4 (5-5-5-5-5) sts at beg of next 4 rows, then 4 (4-4-5-6-5) sts at beg of foll 2 rows.
Cast off rem 35 (36-39-40-41-44) sts in patt.

LEFT FRONT

Using 4.00mm Needles and **Ostrich**, cast on 35 (38-41-42-45-46) sts.
Work in stocking st until work measures 3 (3-4-4-4-5) cm from beg, ending with a knit row.
Next row - P8 (8-10-10-10-12), leave these sts on a stitch-holder for Left Front Band, purl to end, inc 3 (5-4-3-5-6) sts evenly across ... 30 (35-35-35-40-40) sts.
Using 8 Ply for rem, **beg patt** - Work in patt as for Back until work measures same as Back to beg of armhole shaping, ending with same patt row.
SHAPE ARMHOLE - Keeping patt correct, cast off 4 (4-5-5-6-7) sts at beg of next row ... 26 (31-30-30-34-33) sts.
Dec at armhole edge in alt rows until 22 (27-26-25-29-27) sts rem.
Cont in patt without shaping until work measures 5.5 (6-6.5-7-7-8) cm less than Back to beg of shoulder shaping, working last row on wrong side.
SHAPE NECK - Dec at end (neck edge) in every row until 13 (16-15-20-18-22) sts rem, then in alt row/s until 12 (14-14-15-16-15) sts rem.
Cont in patt without shaping until work measures same as Back to beg of shoulder shaping, ending with same patt row.
SHAPE SHOULDER - Cast off 4 (5-5-5-5-5) sts at beg of next row and foll alt row. Work 1 row.
Cast off rem 4 (4-4-5-6-5) sts.

RIGHT FRONT

Using 4.00mm Needles and **Ostrich**, cast on 35 (38-41-42-45-46) sts.

Work in stocking st until work measures 3 (3-4-4-4-5) cm from beg, ending with a knit row.
Next row - Purl to last 8 (8-10-10-10-12) sts, inc 3 (5-4-3-5-6) sts evenly across, leave rem 8 (8-10-10-10-12) sts on a stitch-holder for Right Front Band ... 30 (35-35-35-40-40) sts.
Using 8 Ply for rem, **beg patt** - Work in patt as for Back until work measures same as Back to beg of armhole shaping, ending with same patt row.
Work 1 row patt.
SHAPE ARMHOLE - Keeping patt correct, cast off 4 (4-5-5-6-7) sts at beg of next row ... 26 (31-30-30-34-33) sts.
Dec at armhole edge in next and alt rows until 22 (27-26-25-29-27) sts rem.
Cont in patt without shaping until work measures 5.5 (6-6.5-7-7-8) cm less than Back to beg of shoulder shaping, working last row on wrong side.
SHAPE NECK - Dec at beg (neck edge) in every row until 13 (16-15-20-18-22) sts rem, then in alt rows until 12 (14-14-15-16-15) sts rem.
Cont in patt without shaping until work measures same as Back to beg of shoulder shaping, ending with same patt row.
Work 1 row patt.
SHAPE SHOULDER - Cast off 4 (5-5-5-5-5) sts at beg of next row and foll alt row. Work 1 row.
Cast off rem 4 (4-4-5-6-5) sts.

SLEEVES

Using 4.00mm Needles and **Ostrich**, cast on 32 (37-37-42-42-47) sts.
Work in stocking st until work measures 3 (3-4-4-4-5) cm from beg, ending with a purl row and inc 3 sts evenly across last row ... 35 (40-40-45-45-50) sts.
Using 8 Ply for rem, **beg patt** - Work in patt as for Back and working extra sts into patt, inc at each end of 5th row and foll alt (4th-alt-4th-4th-4th) rows until there are 43 (46-46-65-67-56) sts, then in foll 4th (6th-4th-6th-6th-6th) row/s until there are 51 (54-62-67-71-72) sts.
Cont in patt without shaping until work measures approx 16 (19-21-23-26-28) cm (or length desired) from beg, ending with same patt row as for Back to beg of armhole shaping.
SHAPE TOP - Keeping patt correct, cast off 2 (2-3-3-3-4) sts at beg of next 2 rows ... 47 (50-56-61-65-64) sts.
Dec at each end of next and alt rows until 21 (22-30-39-39-36) sts rem, then in every row until 11 (12-12-13-13-14) sts rem.
Cast off in patt.

RIGHT FRONT BAND

Using back-stitch and **8 Ply**, join shoulder seams. With wrong side facing, using 4.00mm Needles and **Ostrich**, purl across sts from Right Front stitch-holder.

Work in stocking st, until band fits (slightly stretched) evenly along rem of front and across half of back neck, ending with a purl row. Cast off knitways.

LEFT FRONT BAND

With right side facing, using 4.00mm Needles and **Ostrich**, knit across sts from Left Front stitch-holder.

Work in stocking st, beg with a purl row, until until band fits (slightly stretched) evenly along left front and across rem half of back neck, ending with a purl row.

Cast off knitways.

MAKE UP

DO NOT PRESS. Using Knitters Needle sew in all ends. Using back-stitch and **8 Ply**, join side and sleeve seams. Sew in sleeves. Using a flat seam, join front bands tog at centre back neck. Sew front bands in position, easing around neck.

HAT

Using 4.00mm Needles and **Ostrich**, cast on 92 (100-100-107-107-107) sts.

Work in stocking st until work measures 3 (3-3-4-4-4) cm from beg, ending with a purl row and inc 8 (10-10-8-8-8) sts evenly across last row ... 100 (110-110-115-115-115) sts.

Using **8 Ply** for rem, beg patt - 1st row - * K1, P4, rep from * to end.

2nd row - * K3, P2, rep from * to end.

3rd row - As 2nd row.

4th row - * K1, P4, rep from * to end.

Rows 1 to 4 incl form patt.

Cont in patt until work measures 14 (15-15-16-16-17) cm from beg, working last row on wrong side.

SHAPE BACK - Keeping patt correct, cast off 7 (6-6-6-6-6) sts at beg of next 4 (2-2-12-12-12) rows, then 8 (7-7-7-7-7) sts at beg of foll 6 (10-10-2-2-2) rows.

Cast off rem 24 (28-28-29-29-29) sts.

MAKE UP

DO NOT PRESS. Using Knitters Needle sew in all ends. Using back-stitch and **8 Ply**, join centre back seam. Using **8 Ply**, make two twisted cords (see page 20) and attach one to each corner (on inside of Hat) at ends of Ostrich.

PICTURE KNITTING USING THE WINDING YARN METHOD

This is a simple method of knitting in motifs. It must not be interchanged with Fair Isle. When changing colours in the middle of a row, twist the colour to be used (on wrong side) underneath and to the right of the colour just used. As you begin each colour, give a gentle tug to even up loose stitches. It is necessary to use a separate quantity of yarn for each section of colour. To minimise tangles, wind small amounts of yarn on to Yarn Bobs. Unwind only enough yarn to knit required stitches, keeping bob close to work. You may find it helpful to colour in each section of your graph before beginning.



10. CHECKERBOARD TUNIC SWEATER & HAT IN 8 PLY P

MEASUREMENTS

Size (approx)		6	12	18	2	3	4
Tunic							
Fits underarm	cm	45	50	52.5	55	57.5	60
	ins	18	20	21	22	23	24
Garment measures (approx)	cm	53	59	63	65	69	72
Length	cm	29	33	35	39	42	44
Sleeve seam (approx)	cm	17	20	21	25	27	29
Hat (fits head approx)	cm	45	48	48	52	52	52

PATONS YARN REQUIRED -

8 PLY YARNS 50g balls

Tunic

Main Colour (M-blue)	1	2	2	2	3	3
1st Contrast (C1-red)	1	2	2	2	3	3
2nd Contrast (C2-orange)	1	2	2	2	3	3
3rd Contrast (C3-yellow)	1	2	2	2	3	3
4th Contrast (C4-pistachio)	1	2	2	2	3	3

Hat

1 Ball of Main Colour (M) and 1 ball each of 4 Contrast Colours (C1, C2, C3 and C4).

IMPORTANT! Use only the yarn specified for these garments. Other yarns may give unsatisfactory results. Quantities are approximate as they can vary between knitters.

1 pair each 4.00mm (No 8) and 3.25mm (No 10) Knitting Needles or sizes needed to give correct tension. Yarn Bobs; 2 Stitch Holders and 2 Buttons for Tunic; Knitters Needle for sewing seams.

TENSION - 22 sts and 30 rows to 10 cm over stocking st, using 4.00mm Needles. To work tension square, use 4.00mm Needles, cast on 33 sts. Work 44 rows stocking st. Cast off loosely. Please check your tension carefully. If less sts use smaller needles, if more sts use bigger needles.

ABBREVIATIONS - See page 60.

TUNIC BACK

Using 3.25mm Needles and M, cast on 61 (67-71-75-79-81) sts.

Knit 7 rows garter st (1st row is wrong side).

Change to 4.00mm Needles and beg patt.

Note - This instruction has been written specifically for the stitch pattern given. Using any other stitch may result in a garment that is the wrong shape or size. When changing colours in the middle of a row, twist the colour to be used (on wrong side) underneath and to the right of the colour just used. Use a separate ball of yarn for each section of colour or wind colours onto yarn bobs (see page 36).

1st row - K8 (6-8-5-7-8) C1, K5C2, * K5C1, K5C2, rep from * to last 8 (6-8-5-7-8) sts, K8 (6-8-5-7-8) C1.
2nd row - P8 (6-8-5-7-8) C1, P5C2, * P5C1, P5C2, rep from * to last 8 (6-8-5-7-8) sts, P8 (6-8-5-7-8) C1.

Rep 1st and 2nd rows twice.

7th row - K8 (6-8-5-7-8) C3, K5C4, * K5C3, K5C4, rep from * to last 8 (6-8-5-7-8) sts, K8 (6-8-5-7-8) C3.
8th row - P8 (6-8-5-7-8) C3, P5C4, * P5C3, P5C4, rep from * to last 8 (6-8-5-7-8) sts, P8 (6-8-5-7-8) C3.

Rep 7th and 8th rows twice.

Using M, knit 4 rows garter st.

Last 16 rows form patt.

Cont in patt until work measures 15 cm from beg, working last row on wrong side.



**HAVE YOU CHECKED YOUR TENSION?
NOW IS THE POINT TO CHECK THE
WIDTH OF THE BACK BEFORE YOU
CONTINUE!**

Patt to centre of next row, your panel should measure approx 26.5 (29.5-31.5-32.5-34.5-36) cm in width for a perfect fit, patt to end of row.

Cont in patt until work measures 17 (20-21-25-27-29) cm from beg, working last row on wrong side.

SHAPE ARMHOLES - Keeping patt correct, cast off 3 (4-4-5-5-5) sts at beg of next 2 rows ... 55 (59-63-65-69-71) sts.

Dec at each end of next and alt rows until 49 (53-55-57-59-61) sts rem. **

Cont in patt without shaping until work measures 29 (33-35-39-42-44) cm from beg, working last row on wrong side.

SHAPE SHOULDERS - Cast off 4 (5-5-5-6-6) sts at beg of next 4 rows, then 5 (5-6-6-5-6) sts at beg of foll 2 rows.

Leave rem 23 (23-23-25-25-25) sts on a stitch-holder.

FRONT

Work as for Back to **.

Cont in patt without shaping until work measures 6 (6.5-6.5-7-7-7.5) cm less than Back to beg of shoulder shaping, working last row on wrong side.

SHAPE NECK - Next row - Patt 20 (22-23-24-25-26), turn.

Cont on these 20 (22-23-24-25-26) sts.

Dec at neck edge in every row until 16 (20-21-22-23-24) sts rem, then in alt rows until 13 (15-16-16-17-18) sts rem.

Cont in patt without shaping until work measures 2 cm less than Back to beg of shoulder shaping, working last row on wrong side.

Note - This side of neck is 2 cm lower to accommodate shoulder opening.

SHAPE SHOULDER - Cast off 4 (5-5-5-6-6) sts at beg of next row and foll alt row. Work 1 row. Cast off rem 5 (5-6-6-5-6) sts.

Slip next 9 sts onto stitch-holder and leave.

Join yarn to rem sts and patt to end.

Cont on last 20 (22-23-24-25-26) sts.

Dec at neck edge in every row until 16 (20-21-22-23-24) sts rem, then in alt rows until 13 (15-16-16-17-18) sts rem.

Cont in patt without shaping until work measures same as Back to beg of shoulder shaping, ending with same patt row. Work 1 row patt.

SHAPE SHOULDER - Cast off 4 (5-5-5-6-6) sts at beg of next row and foll alt row. Work 1 row. Cast off rem 5 (5-6-6-5-6) sts.

SLEEVES

Using 3.25mm Needles and M, cast on 31 (33-35-37-39-43) sts.

Knit 7 rows garter st (1st row is wrong side), inc 4 (2-0-8-6-2) sts evenly across last row ... 35 (35-35-45-45-45) sts.

Change to 4.00mm Needles and beg patt.

1st row - K5C1, * K5C2, K5C1, rep from * to end.

2nd row - P5C1, * P5C2, P5C1, rep from * to end. Rep 1st and 2nd rows twice.

7th row - Inc in first st, K4C3, K5C4, * K5C3, K5C4, rep from * to last 5 sts, K4C3, inc in last st ... 37 (37-37-47-47-47) sts.

8th row - P1C4, P5C3, * P5C4, P5C3, rep from * to last st, P1C4.

9th row - K1C4, K5C3, * K5C4, K5C3, rep from * to last st, K1C4.

Rep 8th and 9th rows once, then 8th row once.

Using M, knit 4 rows garter st, size 18 only - inc at each end of first row.

All sizes ... 37 (37-39-47-47-47) sts.

Cont in patt (16 rows form patt rep) and working extra sts into patt, inc at each end of next (next-3rd-7th-5th-3rd) row and foll 12th (12th-6th-16th-14th-12th) row/s until there are 43 (45-43-53-53-51) sts,

sizes 18, 2, 3 and 4 only - then in foll (8th-18th-16th-14th) row/s until there are (51-55-57-59) sts.

All sizes - Cont in patt without shaping until work measures same as Back to beg of armhole shaping, ending with same patt row.

SHAPE TOP - Keeping patt correct, cast off 2 (2-2-3-3-3) sts at beg of next 2 rows ... 39 (41-47-49-51-53) sts.

Dec at each end of next and foll 4th rows until 31 (31-41-43-43-47) sts rem, then in alt rows until 11 (11-11-13-13-13) sts rem. Work 1 row. Cast off.

NECKBAND

Using back-stitch, join right shoulder seam. With right side facing, using 3.25mm Needles and M,

knit up 9 (10-10-11-11-12) sts evenly along left side of neck, knit across sts from front stitch-holder, knit up 13 (14-14-15-15-16) sts evenly along right side of neck, then knit across sts from back stitch-holder ... 54 (56-56-60-60-62) sts.
Knit 7 rows garter st.
Cast off loosely knitways.

FRONT SHOULDER BAND

With right side facing, using 3.25mm Needles and M, knit up 16 (17-18-19-20-21) sts evenly along left front shoulder and side edge of neckband.

1st row - Knit.

2nd row - K5, cast off 2 sts, K4 (5-6-7-8-9), cast off 2 sts, K3.

3rd row - K3, turn, cast on 2 sts, turn, K4 (5-6-7-8-9), turn, cast on 2 sts, turn, K5 ... 2 buttonholes.

Knit 4 rows garter st.

Cast off knitways.

BACK SHOULDER BAND

Work to correspond with Front Shoulder Band, omitting buttonholes.

MAKE UP

DO NOT PRESS. Using Knitters Needle sew in all ends. Lap front shoulder band over back shoulder band and oversew tog at armhole edge. Using back-stitch, join side and sleeve seams, matching patt. Sew in sleeves. Sew on buttons.

HAT

Using 4.00mm Needles and M, cast on 95 (105-105-110-110-110) sts.

Knit 4 rows garter st (1st row is wrong side).

Beg patt - Note - When changing colours in the middle of a row, twist the colour to be used (on wrong side) underneath and to the right of the colour just used. Use a separate ball of yarn for each section of colour or wind colours onto yarn bobs (see page 36).

1st row - K5C1, * K5C2, K5C1, rep from * to end.

2nd row - P5C1, * P5C2, P5C1, rep from * to end.

Rep 1st and 2nd rows twice.

7th row - K5C3, * K5C4, K5C3, rep from * to end.

8th row - P5C3, * P5C4, P5C3, rep from * to end.

Rep 9th and 8th rows twice.

Using M, knit 4 rows garter st, dec 5 (7-7-4-4-4) sts evenly across last row (right side will be facing when brim is turned back) ... 90 (98-98-106-106-106) sts.

Knit in garter st for a further 12 (13-13-14-14-14) cm, working last row on wrong side.

SHAPE CROWN - **1st row** - K2, * K2tog, K6, rep from * to end ... 79 (86-86-93-93-93) sts.

Knit 3 rows garter st.

5th row - K2, * K2tog, K5, rep from * to end ... 68 (74-74-80-80-80) sts.

Knit 3 rows garter st.

9th row - K2, * K2tog, K4, rep from * to end ... 57 (62-62-67-67-67) sts.

Knit 3 rows garter st.

13th row - K2, * K2tog, K3, rep from * to end ... 46 (50-50-54-54-54) sts.

14th and foll alt rows - Knit.

15th row - K2, * K2tog, K2, rep from * to end ... 35 (38-38-41-41-41) sts.

17th row - K2, * K2tog, K1, rep from * to end ... 24 (26-26-28-28-28) sts.

19th row - K2, * K2tog, rep from * to end ... 13 (14-14-15-15-15) sts.

Cont in garter st without shaping for a further 5 (5-5-6-6-6) cm, working last row on wrong side.

Break off yarn. Run end through rem sts, draw up tightly and fasten off securely.

MAKE UP

DO NOT PRESS. Using Knitters Needle sew in all ends. Using back-stitch, join seam, reversing seam at brim. Turn back brim.

Neatening the side edge of your cast-on. Before slipping the last cast-on stitch on to the left-hand needle, pass the yarn from back to front between the points of the two needles, then slip the stitch on to the left-hand needle. This prevents a curved edge on the last stitch.



11. WEE WILLIE WINKIE CROSS OVER SHAWL NECK SWEATER & HAT IN 8 PLY

MEASUREMENTS

Size (approx)

Sweater

Fits underarm

Garment measures

Length (approx)

Sleeve fits

Hat (fits head approx)

The sweater is designed to be a generous fit.

	6	12	18	2	3	4
cm	45	50	52.5	55	57.5	60
ins	18	20	21	22	23	24
cm	53	59	63	65	69	72
cm	29	33	35	40	42	44
cm	16	19	21	23	26	28
cm	45	48	48	52	52	52

PATONS YARN REQUIRED -

8 PLY YARNS 50g balls

Sweater

Hat

4	5	6	7	8	9
2	2	2	3	3	3

IMPORTANT! Use only the yarn specified for these garments. Other yarns may give unsatisfactory results. Quantities are approximate as they can vary between knitters.

1 pair each 4.00mm (No 8) and 3.25mm (No 10) Knitting Needles or sizes needed to give correct tension. A Button (optional); Knitters Needle for sewing seams.

TENSION - 22 sts and 30 rows to 10 cm over stocking st, using 4.00mm Needles. To work tension square, use 4.00mm Needles, cast on 33 sts. Work 44 rows stocking st. Cast off loosely. Please check your tension carefully. If less sts use smaller needles, if more sts use bigger needles.

ABBREVIATIONS - See page 60.

SWEATER

BACK

Using 4.00mm Needles, cast on 61 (67-71-75-79-81) sts.

1st row - K2, * P1, K1, rep from * to last st, K1.

2nd row - K1, * P1, K1, rep from * to end.

Rep 1st and 2nd rows 4 (4-5-5-6-7) times ... 10 (10-12-12-14-16) rows rib in all.

Work in stocking st until work measures 15 cm from beg, ending with a purl row.



**HAVE YOU CHECKED YOUR TENSION?
NOW IS THE POINT TO CHECK THE
WIDTH OF THE BACK BEFORE YOU
CONTINUE!**

Knit to centre of next row, your panel should measure 26.5 (29.5-31.5-32.5-34.5-36) cm in width for a perfect fit, knit to end of row.

Cont in stocking st, beg with a purl row, until work measures 17 (20-21-26-27-29) cm from beg, ending with a purl row.

SHAPE ARMHOLES - Cast off 3 (4-4-5-5-5) sts at beg of next 2 rows ... 55 (59-63-65-69-71) sts. Dec at each end of next and alt rows until 49 (53-55-57-59-61) sts rem. **

Work 29 (33-33-33-35-35) rows.

SHAPE SHOULDERS - Cast off 4 (5-5-5-6-6) sts at beg of next 4 rows, then 5 (5-6-6-5-6) sts at beg of foll 2 rows.

Cast off rem 23 (23-23-25-25-25) sts.

FRONT

Work as for Back to **. Work 1 row.

SHAPE NECK - Next row - K20 (22-23-23-24-25), cast off next 9 (9-9-11-11-11) sts, knit to end. Cont on last 20 (22-23-23-24-25) sts.

*** Dec at neck edge in 2nd row and foll 4th rows until 13 (15-16-16-17-18) sts rem.

Work 2 (6-6-6-8-8) rows.

SHAPE SHOULDER - Cast off 4 (5-5-5-6-6) sts at beg of next row and foll alt row. Work 1 row. Cast off rem 5 (5-6-6-5-6) sts. ***

With wrong side facing, join yarn to rem 20 (22-23-23-24-25) sts.

Rep from *** to ***, working 1 row less before shoulder shaping.

SLEEVES

Using 3.25mm Needles, cast on 31 (33-35-37-39-41) sts.

Work 12 (12-14-14-16-18) rows rib as for Back.

Change to 4.00mm Needles.

Work 2 rows stocking st.

Next row - K2, M1, knit to last 2 sts, M1, K2.

Cont inc (as before) in foll 4th row/s until there are 39 (37-43-45-43-45) sts, then in foll 6th rows until there are 43 (45-51-55-57-59) sts.

Cont without shaping until work measures 16 (19-21-23-26-28) cm (or length desired) from beg, ending with a purl row.

SHAPE TOP - Cast off 2 (2-2-3-3-3) sts at beg of next 2 rows ... 39 (41-47-49-51-53) sts.

Dec at each end of next and all rows until 15 (15-23-25-21-25) sts rem, then in every row until 9 (9-9-11-11-11) sts rem. Cast off.

COLLAR

Using 3.25mm Needles, cast on 103 (111-111-115-119-119) sts.

Work 14 (14-14-16-16-16) rows rib as for Back. Keeping rib correct, cast off 3 sts at beg of next 16 (8-8-16-12-12) rows, then 4 sts at beg of foll 2 (10-10-4-8-8) rows ... 47 (47-47-51-51-51) sts.

Next row - K1, (work 2tog) 23 (23-23-25-25-25) times. Cast off rem 24 (24-24-26-26-26) sts.

MAKE UP

With a slightly damp cloth and warm iron (unless stated otherwise on ball band), press lightly on wrong side. Using Knitters Needle sew in all ends. Using back-stitch, join shoulder seams. Join side and sleeve seams. Sew in sleeves. Using back-stitch, sew shaped edge of collar to neck edge, placing centre cast-off sts to back neck and rem of cast-off sts to either

side of front neck. Sew ends of rows on right end of collar for Girl or left end of collar for Boy to sts cast-off at centre front, then slip-stitch rem end of collar in position underneath.

HAT

Using 3.25mm Needles, cast on 111 (119-119-129-129-129) sts.

1st row - K2, * P1, K1, rep from * to last st, K1.

2nd row - K1, * P1, K1, rep from * to end.

Rep 1st and 2nd rows until work measures 8 (10-10-12-12-12) cm from beg, then 1st row once (right side will be facing when brim is turned back).

Next row - K5 (4-4-3-3-3), K2tog, * K7 (7-7-6-6-6), K2tog, rep from * to last 5 (5-5-4-4-4) sts, K5 (5-5-4-4-4) ... 99 (106-106-113-113-113) sts.

Change to 4.00mm needles.

Work in stocking st, beg with a purl row, until work measures 12 (13-13-14-14-14) cm from centre of rib, ending with a purl row.

SHAPE CROWN - 1st row - K1, * K2tog, K5, rep from * to end ... 85 (91-91-97-97-97) sts.

Work 5 (5-5-7-7-7) rows stocking st, beg with a purl row.

Next row - K1, * K2tog, K4, rep from * to end ... 71 (76-76-81-81-81) sts.

Work 5 (5-5-7-7-7) rows stocking st, beg with a purl row.

Next row - K1, * K2tog, K3, rep from * to end ... 57 (61-61-65-65-65) sts.

Work 5 (5-5-7-7-7) rows stocking st, beg with a purl row.

Next row - K1, * K2tog, K2, rep from * to end ... 43 (46-46-49-49-49) sts.

Work 7 (7-7-9-9-9) rows stocking st, beg with a purl row.

Next row - K1, * K2tog, K1, rep from * to end ... 29 (31-31-33-33-33) sts.

Work 7 (7-7-9-9-9) rows stocking st, beg with a purl row.

Next row - K1, * K2tog, rep from * to end ... 15 (16-16-17-17-17) sts.

Work 7 (7-7-9-9-9) rows stocking st, beg with a purl row.

Next row - K1 (0-0-1-1-1), * K2tog, rep from * to end ... 8 (8-8-9-9-9) sts.

Break off yarn. Run end through rem sts, draw up tightly and fasten off securely.

MAKE UP

DO NOT PRESS. Using Knitters Needle sew in all ends. Using back-stitch, join seam, reversing seam for half of brim. Turn back brim. Make a tassel (see page 47) and attach to end of hat as pictured.

12. 5 COLOUR SLIP STITCH JACKET & HAT IN 8 PLY

MEASUREMENTS

Size (approx)

The jacket is designed to be a generous fit.

Jacket

Fits underarm

	6	12	18	2	3	4
cm	45	50	52.5	55	57.5	60
ins	18	20	21	22	23	24
cm	53	59	63	65	69	72
cm	29	33	35	39	42	44
cm	17	20	21	25	27	29
cm	45	48	48	52	52	52

PATONS YARN REQUIRED -

8 PLY YARNS 50g balls

Jacket

Main Colour (M-pink)

1st Contrast (C1-purple)

2nd Contrast (C2-pistachio)

3rd Contrast (C3-cream)

4th Contrast (C4-lilac)

Hat

2 Balls of Main Colour (M) and 1 ball each of 4 Contrast Colours (C1, C2, C3 and C4).

2	3	3	3	3	4
1	2	2	2	3	3
1	2	2	2	3	3
1	2	2	2	3	3
1	2	2	2	3	3

IMPORTANT! Use only the yarn specified for these garments. Other yarns may give unsatisfactory results. Quantities are approximate as they can vary between knitters.

1 pair each 4.00mm (No 8) and 3.25mm (No 10) Knitting Needles or sizes needed to give correct tension. 5 (5-6-6-7-7) Buttons for Jacket; Knitters Needle for sewing seams.

TENSION - 25 sts and 44 rows to 10 cm over patt, using 4.00mm Needles. To work tension square, use 4.00mm Needles, cast on 37 sts. Work 66 rows patt as for Back of Jacket. Cast off loosely. Please check your tension carefully. If less sts use smaller needles, if more sts use bigger needles.

ABBREVIATIONS - See page 60.

JACKET

BACK

Using 3.25mm Needles and M, cast on 59 (65-69-71-75-79) sts.

Knit 8 rows garter st (1st row is wrong side).

9th row - K6 (5-6-7-4-6), inc in next st, * K4 (5-4-4-4-4), inc in next st, rep from * to last 7 (5-7-8-5-7) sts, K7 (5-7-8-5-7) ... 69 (75-81-83-89-93) sts.

Note - This instruction has been written specifically for the stitch pattern given. Using any other stitch may result in a garment that is the wrong shape or size.

Change to 4.00mm Needles and beg patt.

Note - Slip all slip sts purlways in patt.

Using C1, 1st row - Knit.

2nd row - Knit.

Using C2, 3rd row - K1, * sl 1 purlways, K1, rep from * to end.

4th row - K1, * yft, sl 1 purlways, ybk, K1, rep from * to end.

Using C3, rep 1st and 2nd rows once.

Using C4, rep 3rd and 4th rows once.

Using M, rep 1st and 2nd rows once.

Using C1, rep 3rd and 4th rows once.

Using C2, rep 1st and 2nd rows once.

Using C3, rep 3rd and 4th rows once.

Using C4, rep 1st and 2nd rows once.

Using M, rep 3rd and 4th rows once.

Last 20 rows form patt.

Cont in patt until work measures 15 cm from beg, working last row on wrong side.



**HAVE YOU CHECKED YOUR TENSION?
NOW IS THE POINT TO CHECK THE
WIDTH OF THE BACK BEFORE YOU
CONTINUE!**

Patt to centre of next row, your panel should measure approx 26.5 (29.5-31.5-32.5-34.5-36) cm in width for a perfect fit, patt to end of row.

Cont in patt until work measures 17 (20-21-25-27-29) cm from beg, working last row on wrong side.

SHAPE ARMHOLES - Keeping patt correct, cast off 4 (4-5-5-6-6) sts at beg of next 2 rows ... 61 (67-71-73-77-81) sts.

Dec at each end of next and alt rows until 55 (59-63-65-67-69) sts rem.

Cont in patt without shaping until work measures 29 (33-35-39-42-44) cm from beg, working last row on wrong side.

SHAPE SHOULDERS - Cast off 5 (5-6-6-6-7) sts at beg of next 4 rows, then 5 (6-6-6-7-6) sts at beg of foll 2 rows.

Cast off rem 25 (27-27-29-29-29) sts in patt.

LEFT FRONT

Using 3.25mm Needles and M, cast on 33 (35-38-38-41-43) sts.

Knit 8 rows garter st (1st row is wrong side).

9th row - K5, leave these 5 sts on a safety pin for Left Front Band, knit to end, inc 5 (5-6-6-7-7) sts evenly across ... 33 (35-39-39-43-45) sts.

Change to 4.00mm Needles and beg patt.
Work in patt as for Back until work measures same as Back to beg of armhole shaping, ending with same patt row.

SHAPE ARMHOLE - Keeping patt correct, cast off 4 (4-5-5-6-6) sts at beg of next row ... 29 (31-34-34-37-39) sts.

Dec at armhole edge in alt rows until 26 (27-30-30-32-33) sts rem.

Cont in patt without shaping until work measures 4 (4.5-4.5-5-5-5.5) cm less than Back to beg of shoulder shaping, working last row on right side.

SHAPE NECK - Next row - Cast off 6 (6-6-6-7-7) sts, patt to end ... 20 (21-24-24-25-26) sts.

Dec at neck edge in next and alt rows until 15 (16-18-18-19-20) sts rem.

Cont in patt without shaping until work measures same as Back to beg of shoulder shaping, ending with same patt row.

SHAPE SHOULDER - Cast off 5 (5-6-6-6-7) sts at beg of next row and foll alt row. Work 1 row. Cast off rem 5 (6-6-6-7-6) sts.

RIGHT FRONT

Using 3.25mm Needles and M, cast on 33 (35-38-38-41-43) sts.

Knit 3 rows garter st (1st row is wrong side).

4th row - K2, cast off 2 sts, knit to end.

5th row - Knit to last 2 sts, turn, cast on 2 sts, turn, K2 ... buttonhole.

Knit 3 rows garter st.

9th row - Knit to last 5 sts, inc 5 (5-6-6-7-7) sts evenly across these sts, slip rem 5 sts on a safety pin for Right Front Band ... 33 (35-39-39-43-45) sts. Change to 4.00mm Needles and beg patt.

Work in patt as for Back until work measures same as Back to beg of armhole shaping, ending with same patt row.

Work 1 row patt.

SHAPE ARMHOLE - Keeping patt correct, cast off 4 (4-5-5-6-6) sts at beg of next row ... 29 (31-34-34-37-39) sts.

Dec at armhole edge in next and alt rows until 26 (27-30-30-32-33) sts rem.

Cont in patt without shaping until work measures 4 (4.5-4.5-5-5-5.5) cm less than Back to beg of shoulder shaping, working last row on wrong side.

SHAPE NECK - Next row - Cast off 6 (6-6-6-7-7) sts, patt to end ... 20 (21-24-24-25-26) sts.

Dec at neck edge in alt rows until 15 (16-18-18-19-20) sts rem.

Cont in patt without shaping until work measures same as Back to beg of shoulder shaping, ending with same patt row.

Work 1 row patt.

SHAPE SHOULDER - Cast off 5 (5-6-6-6-7) sts at beg of next row and foll alt row. Work 1 row. Cast off rem 5 (6-6-6-7-6) sts.

SLEEVES

Using 3.25mm Needles and M, cast on 29 (31-35-37-39-41) sts.

Knit 9 rows garter st (1st row is wrong side), inc 6 sts evenly across last row ... 35 (37-41-43-45-47) sts.

Change to 4.00mm Needles and beg patt.

Work in patt as for Back and working extra sts into patt, inc at each end of 3rd row and foll 6th (6th-8th-6th-8th-10th) row/s until there are 39 (41-

53-49-55-65) sts, then in foll 8th (8th-10th-8th-10th-12th) row/s until there are 47 (51-57-63-65-67) sts. Cont in patt without shaping until work measures same as Back to beg of armhole shaping, ending with same patt row.

SHAPE TOP - Keeping patt correct, cast off 2 (2-3-3-3-3) sts at beg of next 2 rows ... 43 (47-51-57-59-61) sts.

Dec at each end of next and foll 4th (4th-4th-alt-4th-alt) row/s until 37 (41-43-11-55-13) sts rem, sizes 6, 12, 18 and 3 only - then in alt rows until 9 (9-11-13) sts rem.

All sizes - Work 1 row patt.

Cast off in patt.

COLLAR

Using 3.25mm Needles and M, cast on 69 (77-77-85-85-93) sts.

Knit in garter st (1st row is wrong side) until work measures 5 (5-5-6-6-6) cm from beg, working last row on wrong side.

Next row - K5, * sl 1, K2tog, psso, K5, rep from * to end ... 53 (59-59-65-65-71) sts.

Cast off 5 (6-6-7-7-8) sts at beg of next 6 rows.

Cast off rem 23 sts.

RIGHT FRONT BAND

With wrong side facing and using 3.25mm Needles and M, knit across sts from Right Front safety pin.

Knit 20 (22-20-22-20-22) rows garter st.

Next row - K2, cast off 2 sts, K1.

Next row - K1, turn, cast on 2 sts, turn, K2.

Knit 24 (26-24-26-24-26) rows garter st.

Rep last 26 (28-26-28-26-28) rows 2 (2-3-3-4-4) times, then buttonhole rows once ... 5 (5-6-6-7-7) buttonholes in all.

Knit 3 rows garter st.

Cast off knitways.

LEFT FRONT BAND

With right side facing and using 3.25mm Needles and M, knit across sts from Left Front safety pin.

Knit 102 (110-128-138-154-166) rows garter st.

Cast off knitways.

MAKE UP

DO NOT PRESS. Using Knitters Needle sew in all ends. Using back-stitch, join shoulder seams. Join side and sleeve seams. Sew in sleeves. Using a flat seam, sew front bands in position. Sew collar in position, beg and ending at centre of front bands. Sew on buttons.

HAT

Using 4.00mm Needles and M, cast on 111 (119-119-129-129-129) sts.

1st row (wrong side) - Knit.

Beg patt - Work in patt as for Back of Jacket until work measures 4 (5-5-6-6-6) cm from beg, working last row on right side (right side will be facing when brim is turned back).

Using M for rem. **Next row** - K5 (4-4-3-3-3), K2tog, * K7 (7-7-6-6-6), K2tog, rep from * to last 5 (5-5-4-4-4) sts, K5 (5-5-4-4-4) ... 99 (106-106-113-113-113) sts.

Work in stocking st, beg with a purl row, until work measures 12 (13-13-14-14-14) cm from end of patt, ending with a purl row.

SHAPE CROWN - **1st row** - K1, * K2tog, K5, rep from * to end ... 85 (91-91-97-97-97) sts.

Work 1 (1-1-3-3-3) row/s stocking st, beg with a purl row.

Next row - K1, * K2tog, K4, rep from * to end ... 71 (76-76-81-81-81) sts.

Work 1 (1-1-3-3-3) row/s stocking st, beg with a purl row.

Next row - K1, * K2tog, K3, rep from * to end ... 57 (61-61-65-65-65) sts.

Next and alt rows - Purl.

Next row - K1, * K2tog, K2, rep from * to end ... 43 (46-46-49-49-49) sts.

Next row - K1, * K2tog, K1, rep from * to end ... 29 (31-31-33-33-33) sts.

Next row - K1, * K2tog, rep from * to end ... 15 (16-16-17-17-17) sts.

Work 1 row.

Break off yarn. Run end through rem sts, draw up tightly and fasten off securely.

MAKE UP

DO NOT PRESS. Using Knitters Needle sew in all ends. Using back-stitch, join seam, reversing seam for brim. Turn back brim. If desired, make a small pom pon in each colour and attach to crown as pictured.

madam.sytes.net

13. FEATHER AND FAN TUNIC & HAT IN FEATHERS & 8 PLY ▲▲▲P

MEASUREMENTS

Size (approx)

The tunic is designed to be a generous fit.

Tunic

Fits underarm

	6	12	18	2	3	4
cm	45	50	52.5	55	57.5	60
ins	18	20	21	22	23	24
cm	53	59	63	65	69	72
cm	29	33	35	40	42	44
cm	16	19	21	23	26	28
cm	45	48	48	52	52	52

Garment measures (approx)

Length

Sleeve seam (approx)

Hat (fits head approx)

PATONS YARN REQUIRED -

Tunic

FEATHERS 50g balls

Main Colour (M)

8 PLY YARNS 50g balls

1st Contrast (C1)

2nd Contrast (C2)

Hat

FEATHERS 50g balls

Main Colour (M)

8 PLY YARNS 50g balls

1st Contrast (C1)

2nd Contrast (C2)

3	4	4	5	5	6
1	1	1	2	2	3
1	1	1	2	2	3
1	1	1	2	2	2
1	1	1	1	1	1
1	1	1	1	1	1

IMPORTANT! Use only the yarns specified for these garments. Other yarns may give unsatisfactory results. Quantities are approximate as they can vary between knitters.

1 pair 4.00mm (No 8) Knitting Needles or size needed to give correct tension. 2 Stitch Holders and 2 Buttons for Tunic; Knitters Needle for sewing seams.

TENSION - 22 sts and 30 rows to 10 cm over stocking st, using 4.00mm Needles and 8 ply. To work tension square, use 4.00mm Needles, cast on 33 sts. Work 44 rows stocking st. Cast off loosely.
18.5 sts and 24 rows to 10 cm over stocking st, using 4.00mm Needles and Feathers. To work tension square, use 4.00mm Needles, cast on 27 sts. Work 36 rows stocking st. Cast off loosely.
 Please check your tension carefully. If less sts use smaller needles, if more sts use bigger needles.

ABBREVIATIONS - See page 60.

TUNIC

BACK

Using 4.00mm Needles and M, cast on 61 (68-72-74-79-81) sts.

Work 4 rows stocking st.

Beg patt - Using C1, **1st row -** Knit.

2nd row - Purl.

3rd row - K3 (1-3-4-1-2), * (K2tog) twice, (yfwd, K1) 3 times, yfwd, (K2tog) twice, rep from * to last 3 (1-3-4-1-2) st/s, K3 (1-3-4-1-2).

4th row - P3 (1-3-4-1-2), * P2, K7, P2, rep from * to last 3 (1-3-4-1-2) st/s, P3 (1-3-4-1-2).

Using C2, rep rows 1 to 4 incl once.

Using M, rep rows 1 to 4 incl once.

Last 12 rows form patt.

Cont in patt until work measures approx 9 (10-11-13-14-15) cm from beg, ending with a 3rd, 7th or 11th patt row.



**HAVE YOU CHECKED YOUR TENSION?
NOW IS THE POINT TO CHECK THE
WIDTH OF THE BACK BEFORE YOU
CONTINUE!**

Patt to centre of next row, your panel should measure approx 26.5 (29.5-31.5-32.5-34.5-36) cm in width for a perfect fit, patt to end of row, thus ending with a 4th, 8th or 12th patt row.

Using M for rem, Next row - K2 (3-5-6-5-6), K2tog, * K4, K2tog, rep from * to last 3 (3-5-6-6-7) sts, K3 (3-5-6-6-7) ... 51 (57-61-63-67-69) sts.

Work in stocking st for rem, beg with a purl row, until work measures 17 (20-21-26-27-29) cm from beg, ending with a purl row.

SHAPE ARMHOLES - Cast off 3 (3-4-4-4-4) sts at beg of next 2 rows ... 45 (51-53-55-59-61) sts. Dec at each end of next and alt rows until 41 (45-47-49-51-53) sts rem. **

Cont without shaping until work measures 29 (33-35-40-42-44) cm from beg, ending with a purl row.

SHAPE SHOULDERS - Cast off 6 (7-7-7-8-8) sts at beg of next 2 rows, then 5 (6-7-7-7-8) sts at beg of foll 2 rows.

Leave rem 19 (19-19-21-21-21) sts on a stitch-holder.

FRONT

Work as for Back to **.

Cont without shaping until work measures 6 (6.5-6.5-7-7-7.5) cm less than Back to beg of shoulder shaping, ending with a purl row.

SHAPE NECK - Next row - K16 (18-19-20-21-22), turn.

Cont on these 16 (18-19-20-21-22) sts.

Dec at neck edge in every row until 11 (13-14-14-15-16) sts rem.

Cont without shaping until work measures 2 cm less than Back to beg of shoulder shaping, ending with a purl row.

Note - This side of neck is 2 cm lower to accommodate shoulder opening.

SHAPE SHOULDER - Cast off 6 (7-7-7-8-8) sts at beg of next row. Work 1 row.

Cast off rem 5 (6-7-7-7-8) sts.

Slip next 9 sts onto stitch-holder and leave.

Join yarn to rem sts and knit to end.

Cont on last 16 (18-19-20-21-22) sts.

Dec at neck edge in every row until 11 (13-14-14-15-16) sts rem.

Cont without shaping until work measures same as Back to beg of shoulder shaping, ending with a knit row.

SHAPE SHOULDER - Cast off 6 (7-7-7-8-8) sts at beg of next row. Work 1 row.

Cast off rem 5 (6-7-7-7-8) sts.

SLEEVES

Using 4.00mm Needles and M, cast on 35 (35-35-46-46-46) sts.

Work 4 rows stocking st.

Beg patt - Using C1, 1st row - Knit.

2nd row - Purl.

3rd row - K1, * (K2tog) twice, (yfwd, K1) 3 times,

yfwd, (K2tog) twice, rep from * to last st, K1.

4th row - P1, * P2, K7, P2, rep from * to last st, P1.

Using C2, 5th row - Inc in first st, knit to last st, inc in last st ... 37 (37-37-48-48-48) sts.

6th row - Purl

7th row - K2, * (K2tog) twice, (yfwd, K1) 3 times,

yfwd, (K2tog) twice, rep from * to last 2 sts, K2.

8th row - P2, * P2, K7, P2, rep from * to last 2 sts, P2.

Using M, 9th row - Knit.

10th row - Purl.

11th row - (Inc in first st) 0 (0-1-0-0-0) time/s, K2

(2-1-2-2-2), * (K2tog) twice, (yfwd, K1) 3 times,

yfwd, (K2tog) twice, rep from * to last 2 sts, K2

(2-1-2-2-2), (inc in last st) 0 (0-1-0-0-0) time/s ...

37 (37-39-48-48-48) sts.

12th row - P2 (2-3-2-2-2), * P2, K7, P2, rep from

* to last 2 (2-3-2-2-2) sts, P2 (2-3-2-2-2).

Cont in patt (12 rows form patt rep), and working

extra sts into stocking st, inc at each end of 5th

(next-5th-5th-3rd-3rd) row and foll 14th (10th-6th-

12th-12th-10th) row/s until there are 41 (45-49-

54-58-54) sts, sizes 18, 2 and 4 only - then in foll

(8th-14th-12th) row/s until there are (51-56-60) sts.

All sizes - Cont in patt without shaping until work

measures 16 (19-21-23-26-28) cm (or length

desired) from beg, working last row on wrong side.

Note - Care must be taken when shaping in this

pattern stitch. Do not work a yfwd unless you have

sufficient sts to work a K2tog and vice versa.

The easiest method is to convert each half pattern into stocking st as you break into it.

SHAPE TOP - Keeping patt correct, cast off 2 (2-2-2-3) sts at beg of next 2 rows ... 37 (41-47-52-52-54) sts.

Dec at each end of next and alt rows until 9 (11-19-28-24-28) sts rem, **sizes 12, 18, 2, 3 and 4 only** - then in every row until (9-9-10-10-10) sts rem. Cast off.

Size 6 only - Work 1 row. Cast off.

NECKBAND

Using back-stitch, join right shoulder seam. With right side facing, using 4.00mm Needles and M, knit up 7 (8-8-9-9-10) sts evenly along left side of neck, knit across sts from front stitch-holder, knit up 11 (12-12-13-13-14) sts evenly along right side of neck, then knit across sts from back stitch-holder ... 46 (48-48-52-52-54) sts.

Work 5 rows stocking st, beg with a purl row.

Cast off loosely knitways.

FRONT SHOULDER BAND

With right side facing, using 4.00mm Needles and M, knit up 16 (17-18-19-20-21) sts evenly along left front shoulder and side edge of neckband.

1st row - Purl.

2nd row - K5, cast off 2 sts, K4 (5-6-7-8-9), cast off 2 sts, K3.

3rd row - P3, turn, cast on 2 sts, turn, P4 (5-6-7-8-9), turn, cast on 2 sts, turn, P5 ... 2 buttonholes.

Work 2 rows stocking st.

Cast off knitways.

BACK SHOULDER BAND

Work to correspond with Front Shoulder Band, omitting buttonholes.

MAKE UP

DO NOT PRESS. Using Knitters Needle sew in all ends. Lap front shoulder band over back shoulder band and oversew tog at armhole edge. Using back-stitch, join side and sleeve seams, matching patt. Sew in sleeves. Sew on buttons.

HAT

Using 4.00mm Needles and M, cast on 90 (101-101-112-112-112) sts.

Work 4 rows stocking st.

Beg patt - Work as for **size 12** of Back of Tunic until work measures approx 16 (17-17-18-18-18) cm from beg, ending with a 1st, 5th or 9th patt row.

Using C1, **Next row** - P8 (5-5-6-6-6), P2tog, * P10 (6-6-5-5-5), P2tog, rep from * to last 8 (6-6-6-6-6) sts, P8 (6-6-6-6-6) ... 83 (89-89-97-97-97) sts.

Using M for rem, **Eyelet row** - K1, * yfwd, K2tog, rep from * to end.

Cont in stocking st, beg with a purl row for a further 4 (4-4-5-5-5) cm, ending with a purl row.

Cast off.

MAKE UP

DO NOT PRESS. Using Knitters Needle sew in all ends. Using back-stitch and 8 Ply, join seam. Using C1 and 8 Ply, make a twisted cord (see page 20) and thread through eyelet row, draw up and tie in a bow as pictured.

TASSELS

To make a tassel, cut a piece of cardboard several centimetres long, to the width desired (i.e. the length of the tassel you wish to make). Wind the yarn round and round the cardboard - the number of times it is wound round the cardboard depends on how bulky you wish to make the tassel. Break off yarn, leaving an end several centimetres long, thread through needle. Slip needle through all the loops on the cardboard, and tie yarn tightly at one edge. Slip cardboard out and wind the yarn several times around the loops 1 cm from the fold. Draw the needle through the top, and attach the tassel where desired. Cut through the other fold and even off the ends.



14. BUNNY RABBIT CARDIGAN & HAT IN 8 PLY

MEASUREMENTS

Size (approx)

Cardigan

Fits underarm

Garment measures

Length (approx)

Sleeve fits

Hat (fits head approx)

The cardigan is designed to be a generous fit.

	6	12	18	2	3	4
cm	45	50	52.5	55	57.5	60
ins	18	20	21	22	23	24
cm	53	59	63	65	69	72
cm	29	33	35	40	42	44
cm	16	19	21	23	26	28
cm	45	48	48	52	52	52

PATONS YARN REQUIRED -

8 PLY YARNS 50g balls

Cardigan

Hat

1 Ball of Contrast Colour for embroidery of Cardigan and pom pon for Hat.

3	4	5	6	7	8
2	2	2	3	3	3

IMPORTANT! Use only the yarn specified for these garments. Other yarns may give unsatisfactory results. Quantities are approximate as they can vary between knitters.

1 pair each 4.00mm (No 8) and 3.25mm (No 10) Knitting Needles or sizes needed to give correct tension. 4 (4-4-5-5-5) Buttons for Cardigan; Small quantity for washable filling for Hat; Knitters Needle for sewing seams.

TENSION - 22 sts and 30 rows to 10 cm over stocking st, using 4.00mm Needles. To work tension square, use 4.00mm Needles, cast on 33 sts. Work 44 rows stocking st. Cast off loosely. Please check your tension carefully. If less sts use smaller needles, if more sts use bigger needles.

ABBREVIATIONS - See page 60.

CARDIGAN

BACK

Using 3.25mm Needles, cast on 61 (67-71-75-79-81) sts.

1st row - K1, * P1, K1, rep from * to end.

Rep 1st row 9 times ... 10 rows moss st in all.

Change to 4.00mm Needles.

Work in stocking st until work measures 15 cm from beg, ending with a purl row.



**HAVE YOU CHECKED YOUR TENSION?
NOW IS THE POINT TO CHECK THE
WIDTH OF THE BACK BEFORE YOU
CONTINUE!**

Knit to centre of next row, your panel should measure 26.5 (29.5-31.5-32.5-34.5-36) cm in width for a perfect fit, knit to end of row.

Cont in stocking st, beg with a purl row, until work measures 17 (20-21-26-27-29) cm from beg, ending with a purl row.

SHAPE ARMHOLES - Cast off 3 (4-4-5-5-5) sts at beg of next 2 rows ... 55 (59-63-65-69-71) sts. Dec at each end of next and alt rows until 49 (53-55-57-59-61) sts rem.

Work 29 (33-33-33-35-35) rows.

SHAPE SHOULDERS - Cast off 4 (5-5-5-6-6) sts at beg of next 4 rows, then 5 (5-6-6-5-6) sts at beg of foll 2 rows.

Cast off rem 23 (23-23-25-25-25) sts.

LEFT FRONT

Using 3.25mm Needles, cast on 27 (31-33-35-37-39) sts.

Work 10 rows moss st as for Back, inc one st in centre of last row ... 28 (32-34-36-38-40) sts. Change to 4.00mm Needles.

Work in stocking st until work measures same as Back to beg of armhole shaping, ending with a purl row. **

SHAPE ARMHOLE AND FRONT SLOPE - Cast off 3 (4-4-5-5-5) sts at beg of next row ... 25 (28-30-31-33-35) sts.

Dec at armhole edge in alt rows 3 (3-4-4-5-5) times, AT SAME TIME dec at front edge in alt rows 3 (3-2-4-2-4) times, then in foll 4th rows until 13 (15-16-16-17-18) sts rem.

Work 5 rows.

SHAPE SHOULDER - Cast off 4 (5-5-5-6-6) sts at beg of next row and foll alt row. Work 1 row. Cast off rem 5 (5-6-6-5-6) sts.

RIGHT FRONT

Work as for Left Front to **.

Work 1 row.

SHAPE ARMHOLE AND FRONT SLOPE - Cast off 3 (4-4-5-5-5) sts at beg of next row ... 25 (28-30-31-33-35) sts.

Dec at armhole edge in next and alt rows 3 (3-4-4-5-5) times in all, AT SAME TIME dec at front edge in next and alt row/s 3 (3-2-4-2-4) times in all, then in foll 4th rows until 13 (15-16-16-17-18) sts rem.

Work 6 rows.

SHAPE SHOULDER - Cast off 4 (5-5-5-6-6) sts at beg of next row and foll alt row. Work 1 row. Cast off rem 5 (5-6-6-5-6) sts.

SLEEVES

Using 3.25mm Needles, cast on 31 (33-35-37-39-41) sts.

Work 10 rows moss st as for Back.

Change to 4.00mm Needles.

Work 2 rows stocking st.

3rd row - K2, M1, knit to last 2 sts, M1, K2.

Cont inc (as before) at each end of foll 4th (6th-4th-4th-6th-6th) rows until there are 39 (43-41-43-53-49) sts, then in foll 6th (8th-6th-6th-8th-8th) row/s until there are 43 (45-51-55-57-59) sts.

Cont without shaping until work measures 16 (19-21-23-26-28) cm (or length desired) from beg, ending with a purl row.

SHAPE TOP - Cast off 2 (2-2-3-3-3) sts at beg of next 2 rows ... 39 (41-47-49-51-53) sts.

Dec at each end of next and alt rows until 13 (13-21-25-19-23) sts rem, then in every row until 11 (11-11-11-13-13) sts rem. Cast off.

RIGHT FRONT BAND

Using back-stitch, join shoulder seams. With right side facing and using 3.25mm Needles, knit up 36 (42-44-56-58-62) sts evenly along right front edge to beg of front slope shaping, 26 (28-30-30-32-32) sts evenly along right front slope to shoulder, then 11 (11-11-13-13-13) sts evenly across half of back neck ... 73 (81-85-99-103-107) sts.

For Girl - Work 3 rows moss st as for Back.

4th row - Moss 3, cast off 2 sts, [moss 8 (9-10-10-11-12), cast off 2 sts] 3 (3-3-4-4-4) times, moss to end.

5th row - Moss to last 27 (30-33-43-47-51) sts, turn, cast on 2 sts, turn, [moss 8 (9-10-10-11-12), turn, cast on 2 sts, turn] 3 (3-3-4-4-4) times, moss 3 ... 4 (4-4-5-5-5) buttonholes.

Work 4 rows moss st.

Cast off loosely in moss st.

For Boy - Work as for Girl, omitting buttonholes.

LEFT FRONT BAND

With right side facing and using 3.25mm Needles, knit up 11 (11-11-13-13-13) sts evenly across rem half of back neck, 26 (28-30-30-32-32) sts evenly along left front slope, then 36 (42-44-56-58-62) sts evenly along left front edge ... 73 (81-85-99-103-107) sts.

For Boy - Work 4 rows moss st as for Back.

5th row - Moss 3, cast off 2 sts, [moss 8 (9-10-10-11-12), cast off 2 sts] 3 (3-3-4-4-4) times, moss to end.

6th row - Moss to last 27 (30-33-43-47-51) sts, turn, cast on 2 sts, turn, [moss 8 (9-10-10-11-12), turn, cast on 2 sts, turn] 3 (3-3-4-4-4) times, moss 3 ... 4 (4-4-5-5-5) buttonholes.

Work 3 rows moss st.

Cast off loosely in moss st.

For Girl - Work as for Boy, omitting buttonholes.

MAKE UP

With a slightly damp cloth and warm iron (unless stated otherwise on ball band), press lightly on wrong side. Using Knitters Needle sew in all ends. Using back-stitch, join side and sleeve seams. Sew in sleeves. Join front bands tog at centre back neck. Sew on buttons. Using Knitting Stitch (see page 59) and contrast embroider bunny rabbits from Graph (see page 50) to centre of each front as pictured. Using contrast, make a bobble thus - Using 4.00mm Needles and contrast, cast on a stitch, (K1, P1, K1, P1, K1) all into stitch. Work 4 rows stocking st, beg with a purl row, pass 4th, 3rd, 2nd and 1st sts over 5th st. Break off yarn leaving a long end and fasten off. Using the long end form a bobble. Attach to rabbit for tail as pictured.

HAT

Using 3.25mm Needles, cast on 95 (95-95-109-109-109) sts.

Work in moss st as for Back until work measures 5 cm from beg, working last row on wrong side. Change to 4.00mm Needles.

Work in stocking st until work measures 14 (14-14-16-16-16) cm from beg, ending with a purl row and dec 10 sts evenly across last row ... 85 (85-85-99-99-99) sts.

SHAPE CROWN - 1st row - K1, * K2tog, K5, rep from * to end ... 73 (73-73-85-85-85) sts.

Work 3 rows stocking st, beg with a purl row.

5th row - K1, * K2tog, K4, rep from * to end ... 61 (61-61-71-71-71) sts.

6th and alt rows - Purl.

7th row - K1, * K2tog, K3, rep from * to end ... 49 (49-49-57-57-57) sts.

9th row - K1, * K2tog, K2, rep from * to end ... 37 (37-37-43-43-43) sts.

11th row - K1, * K2tog, K1, rep from * to end ... 25 (25-25-29-29-29) sts.

13th row - K1, * K2tog, rep from * to end ... 13 (13-13-15-15-15) sts.


14th row - Purl.

Break off yarn, run end through rem sts, draw up tightly and fasten off securely.

MAKE UP

With a slightly damp cloth and warm iron (unless stated otherwise on ball band), press lightly on wrong side. Using Knitters Needle sew in all ends. Using back-stitch, join seam, reversing seam at brim. Turn back brim. Slip-stitch brim, enclosing washable filling. Using contrast, make a pom pon (see page 23) and attach to top of crown as pictured.

Graph for Knitting Stitch embroidery



15. COLOURFUL MOSS STITCH JACKET & HAT IN 8 PLY

MEASUREMENTS

Size (approx)

Jacket

Fits underarm

Garment measures (approx)

Length

Sleeve seam (approx)

Hat (fits head approx)

The jacket is designed to be a generous fit.

	6	12	18	2	3	4
cm	45	50	52.5	55	57.5	60
ins	18	20	21	22	23	24
cm	53	59	63	65	69	72
cm	29	33	35	39	42	44
cm	17	20	21	25	27	29
cm	45	48	48	52	52	52

PATONS YARN REQUIRED -

8 PLY YARNS 50g balls

Jacket

Main Colour (M-blue)

1st Contrast (C1-red)

2nd Contrast (C2-orange)

3rd Contrast (C3-yellow)

4th Contrast (C4-pistachio)

Hat

2	2	3	3	4	4
1	1	2	2	3	3
1	1	2	2	3	3
1	1	2	2	3	3
1	1	2	2	3	3

1 Ball of Main Colour (M) and 1 ball each of 4 Contrast Colours (C1, C2, C3 and C4).

IMPORTANT! Use only the yarn specified for these garments. Other yarns may give unsatisfactory results. Quantities are approximate as they can vary between knitters.

1 pair each 4.00mm (No 8) and 3.25mm (No 10) Knitting Needles or sizes needed to give correct tension. 4 (5-5-6-6-6) Buttons for Jacket; Knitters Needle for sewing seams.

TENSION - 21 sts and 38 rows to 10 cm over patt, using 4.00mm Needles. To work tension square, use 4.00mm Needles, cast on 31 sts. Work 56 rows moss st as for Back of Jacket. Cast off loosely. Please check your tension carefully. If less sts use smaller needles, if more sts use bigger needles.

ABBREVIATIONS - See page 60.

JACKET

BACK

Using 4.00mm Needles and M, cast on 57 (65-69-71-75-79) sts.

Using M, 1st row - K1, * P1, K1, rep from * to end.

2nd row - As 1st row.

Note - This instruction has been written specifically for the stitch pattern given. Using any other stitch may result in a garment that is the wrong shape or size.

Beg stripe patt - Work 10 rows moss st in stripes of 2 rows each C1, C2, C3, C4 and M.

Last 10 rows form patt.

Cont in patt until work measures 15 cm from beg, working last row on wrong side.



**HAVE YOU CHECKED YOUR TENSION?
NOW IS THE POINT TO CHECK THE
WIDTH OF THE BACK BEFORE YOU
CONTINUE!**

Patt to centre of next row, your panel should measure approx 26.5 (29.5-31.5-32.5-34.5-36) cm in width for a perfect fit, patt to end of row.

Cont in patt until work measures 17 (20-21-25-27-29) cm from beg, working last row on wrong side.

SHAPE ARMHOLES - Keeping patt correct, cast off 3 (4-4-4-5-5) sts at beg of next 2 rows ... 51 (57-61-63-65-69) sts.

Dec at each end of next and alt rows until 47 (51-53-55-57-59) sts rem.

Cont in patt without shaping until work measures 29 (33-35-39-42-44) cm from beg, working last row on wrong side.

SHAPE SHOULDERS - Cast off 4 (5-5-5-6-6) sts at beg of next 4 rows, then 5 (4-5-6-5-5) sts at beg of foll 2 rows.

Cast off rem 21 (23-23-23-23-25) sts in patt.

LEFT FRONT

Using 4.00mm Needles and M, cast on 27 (31-33-35-37-39) sts.

Work 2 rows moss st as for Back.

Beg stripe patt - Work in stripe patt as for Back until work measures same as Back to beg of armhole shaping, ending with same patt row. **

SHAPE ARMHOLE - Keeping patt correct, cast off 3 (4-4-4-5-5) sts at beg of next row ... 24 (27-29-31-32-34) sts.

Dec at armhole edge in alt rows until 22 (24-25-27-28-29) sts rem.

Cont in patt without shaping until work measures 4 (4.5-4.5-5-5-5.5) cm less than Back to beg of shoulder shaping, working last row on right side.

SHAPE NECK - Next row - Cast off 5 (5-5-6-6-6) sts, patt to end ... 17 (19-20-21-22-23) sts.

Dec at neck edge in next and alt rows until 13 (14-15-16-17-17) sts rem.

Cont in patt without shaping until work measures same as Back to beg of shoulder shaping, ending with same patt row.

SHAPE SHOULDER - Cast off 4 (5-5-5-6-6) sts at beg of next row and foll alt row. Work 1 row. Cast off rem 5 (4-5-6-5-5) sts.

RIGHT FRONT

Work as for Left Front to **.

Work 1 row patt.

SHAPE ARMHOLE - Keeping patt correct, cast off 3 (4-4-4-5-5) sts at beg of next row ... 24 (27-29-31-32-34) sts.

Dec at armhole edge in next and alt rows until 22 (24-25-27-28-29) sts rem.

Cont in patt without shaping until work measures 4 (4.5-4.5-5-5-5.5) cm less than Back to beg of shoulder shaping, working last row on wrong side.

SHAPE NECK - Next row - Cast off 5 (5-5-6-6-6) sts, patt to end ... 17 (19-20-21-22-23) sts.

Dec at neck edge in alt rows until 13 (14-15-16-17-17) sts rem.

Cont in patt without shaping until work measures same as Back to beg of shoulder shaping, ending with same patt row.

Work 1 row patt.

SHAPE SHOULDER - Cast off 4 (5-5-5-6-6) sts at beg of next row and foll alt row. Work 1 row. Cast off rem 5 (4-5-6-5-5) sts.

SLEEVES

Using 4.00mm Needles and M, cast on 29 (31-35-37-39-41) sts.

Work 2 rows moss st.

Beg stripe patt - Work in patt as for Back and working extra sts into patt, inc at each end of next row and foll 6th (8th-8th-8th-10th-10th) row/s until there are 33 (35-39-43-45-45) sts, then in foll 8th (10th-10th-10th-12th-12th) rows until there are 41 (43-49-53-55-57) sts.

Cont in patt without shaping until work measures same as Back to beg of armhole shaping, ending with same patt row.

SHAPE TOP - Keeping patt correct, cast off 2 (2-2-2-3-3) sts at beg of next 2 rows ... 37 (39-45-49-49-51) sts.

Dec at each end of next and foll 4th rows until 27 (29-37-43-41-45) sts rem, then in alt rows until 11 (11-11-13-13-13) sts rem.

Work 1 row patt. Cast off in patt.

COLLAR

Using 3.25mm Needles and M, cast on 69 (77-77-85-85-93) sts.

1st row - K1, * P1, K1, rep from * to end.

Rep 1st row for moss st until work measures 5 (5-5-6-6-6) cm from beg, working last row on wrong side.

Next row - Moss 5, * sl 1, work 2tog, pssso, moss 5, rep from * to end ... 53 (59-59-65-65-71) sts.

Keeping moss st correct, cast off 5 (6-6-7-7-8) sts at beg of next 6 rows.

Cast off rem 23 sts.

RIGHT FRONT BAND FOR GIRL OR LEFT FRONT BAND FOR BOY

With right side facing using 3.25mm Needles and M, knit up 53 (61-69-77-77-83) sts, evenly along right front edge for Girl or left front edge for Boy.

Work 3 rows moss st.

4th row - Moss 3, cast off 2 sts, * moss 13 (11-13-12-12-13), cast off 2 sts, rep from * to last 3 (4-4-2-2-3) sts, moss 3 (4-4-2-2-3).

5th row - Moss 3 (4-4-2-2-3), turn, cast on 2 sts, turn, * moss 13 (11-13-12-12-13), turn, cast on 2 sts, turn, moss 3 ... 4 (5-5-6-6-6) buttonholes.

Work 4 rows moss st. Cast off in moss st.

LEFT FRONT BAND FOR GIRL OR RIGHT FRONT BAND FOR BOY

Work to correspond with other front band, omitting buttonholes.

MAKE UP

DO NOT PRESS. Using Knitters Needle sew in all ends. Using back-stitch, join shoulder seams. Join side and sleeve seams. Sew in sleeves. Using a flat seam, sew collar in position, beg and ending at centre of front bands. Sew on buttons.

HAT

Using 4.00mm Needles and M, cast on 95 (99-99-109-109-109) sts.

1st row - K1, * P1, K1, rep from * to end.

Rep 1st row for moss st until work measures 8 (10-10-12-12-12) cm from beg, working last row on wrong side (thus completing brim).

Beg stripe patt - Work 10 rows moss st in stripes of 2 rows each C1, C2, C3, C4 and M.

Last 10 rows form patt.

Cont in patt until work measures 12 (13-13-14-14) cm from centre of brim, working last row on wrong side and dec 2 (6-6-8-8-8) sts evenly across last row ... 93 (93-93-101-101-101) sts.

SHAPE CROWN - Keeping patt correct, **1st row** - Moss 5, * sl 1, work 2tog, pssso, moss 5, rep from * to end ... 71 (71-71-77-77-77) sts.

Work 5 rows.

7th row - Moss 5, * sl 1, work 2tog, pssso, moss 3, rep from * to end ... 49 (49-49-53-53-53) sts.

Work 5 rows.

13th row - Moss 5, * sl 1, work 2tog, pssso, moss 1, rep from * to end ... 27 (27-27-29-29-29) sts.

Work 3 rows.

17th row - Moss 0 (0-0-1-1-1), * sl 1, work 2tog, pssso, rep from * to last 0 (0-0-1-1-1) st/s, moss 0 (0-0-1-1-1) ... 9 (9-9-11-11-11) sts.


Break off yarn. Run end through rem sts, draw up tightly and fasten off securely.

MAKE UP

DO NOT PRESS. Using Knitters Needle sew in all ends. Using back-stitch, join seam, reversing seam at brim. Turn back brim. Using M and Contrasts make a tassel (see page 47) and attach to top of crown.

SEWING IN SET - IN SLEEVES

Pin sleeve into position in armhole, matching underarm seams, and centre of top edge with shoulder seam. Either sew from right side using running stitch or from wrong side using back-stitch.



16. OSTRICH & 8 PLY FUR COAT & HAT ▲ ▲

MEASUREMENTS

Size (approx)

Jacket

Fits underarm

Garment measures (approx)

Length

Sleeve seam (approx)

Hat (fits head approx)

The jacket is designed to be a generous fit.

	6	12	18	2	3	4
cm	45	50	52.5	55	57.5	60
ins	18	20	21	22	23	24
cm	53	59	63	65	69	72
cm	29	33	35	39	42	44
cm	17	20	21	25	27	29
cm	45	48	48	52	52	52

PATONS YARN REQUIRED -

Jacket

8 PLY YARNS 50g balls

OSTRICH 50g balls

Hat

8 PLY YARNS 50g balls

OSTRICH 50g balls

2	2	3	3	4	4
5	5	6	6	7	7
1	1	1	2	2	2
1	1	1	2	2	2

IMPORTANT! Use only the yarns specified for these garments. Other yarns may give unsatisfactory results. Quantities are approximate as they can vary between knitters.

1 pair 4.00mm (No 8) Knitting Needles or size needed to give correct tension. A Stitch Holder and 5 (5-5-6-6-7) Buttons for Jacket; Knitters Needle for sewing seams.

TENSION - 24 sts and 33 rows to 10 cm over stripe patt, using 4.00mm Needles. To work tension square, use 4.00mm Needles and 8 Ply, cast on 36 sts. Work 50 rows stripe patt as for Back of Jacket. Cast off loosely. Please check your tension carefully. If less sts use smaller needles, if more sts use bigger needles.

ABBREVIATIONS - See page 60.

JACKET

BACK

Using 4.00mm Needles and Ostrich, cast on 65 (73-77-81-85-89) sts loosely.

Work 12 rows stocking st.

Note - This instruction has been written specifically for the stitch pattern given. Using any other stitch may result in a garment that is the wrong shape or size.

Beg stripe patt - Using 8 Ply, work 6 rows stocking st.

Using Ostrich, work 8 rows stocking st.

Last 14 rows form stripe patt.

Cont in patt until work measures 15 cm from beg, working last row on wrong side.



**HAVE YOU CHECKED YOUR TENSION?
NOW IS THE POINT TO CHECK THE
WIDTH OF THE BACK BEFORE YOU
CONTINUE!**

Patt to centre of next row, your panel should measure approx 26.5 (29.5-31.5-32.5-34.5-36) cm in width for a perfect fit, patt to end of row.

Cont in patt until work measures 17 (20-21-25-27-29) cm from beg, working last row on wrong side.

SHAPE ARMHOLES - Keeping patt correct, cast off 3 (4-5-5-5-6) sts at beg of next 2 rows ... 59 (65-67-71-75-77) sts.

Dec at each end of next and alt rows until 53 (57-59-63-65-67) sts rem.

Cont in patt without shaping until work measures 29 (33-35-39-42-44) cm from beg, working last row on wrong side.

SHAPE SHOULDERS - Cast off 5 (5-6-6-6-6) sts at beg of next 4 rows, then 4 (6-5-6-7-7) sts at beg of foll 2 rows.

Leave rem 25 (25-25-27-27-29) sts on a stitch-holder.

LEFT FRONT

Using 4.00mm Needles and **Ostrich**, cast on 31 (35-37-39-41-43) sts loosely.

Work 12 rows stocking st.

Beg stripe patt - Work in stripe patt as for Back until work measures same as Back to beg of armhole shaping, ending with same patt row. **

SHAPE ARMHOLE - Keeping patt correct, cast off 3 (4-5-5-5-6) sts at beg of next row ... 28 (31-32-34-36-37) sts.

Dec at armhole edge in all rows until 25 (27-28-30-31-32) sts rem.

Cont in patt without shaping until work measures 4 (4.5-4.5-5-5-5.5) cm less than Back to beg of shoulder shaping, working last row on right side.

SHAPE NECK - Next row - Cast off 6 sts, patt to end ... 19 (21-22-24-25-26) sts.

Dec at neck edge in every row until 14 (16-17-18-19-19) sts rem.

Cont in patt without shaping until work measures same as Back to beg of shoulder shaping, ending with same patt row.

SHAPE SHOULDER - Cast off 5 (5-6-6-6-6) sts at beg of next row and foll alt row. Work 1 row. Cast off rem 4 (6-5-6-7-7) sts.

RIGHT FRONT

Work as for Left Front to **.

Work 1 row patt.

SHAPE ARMHOLE - Keeping patt correct, cast off 3 (4-5-5-5-6) sts at beg of next row ... 28 (31-32-34-36-37) sts.

Dec at armhole edge in next and alt rows until 25 (27-28-30-31-32) sts rem.

Cont in patt without shaping until work measures 4 (4.5-4.5-5-5-5.5) cm less than Back to beg of shoulder shaping, working last row on wrong side.

SHAPE NECK - Next row - Cast off 6 sts, patt to end ... 19 (21-22-24-25-26) sts.

Work 1 row patt.

Dec at neck edge in every row until 14 (16-17-18-19-19) sts rem.

Cont in patt without shaping until work measures same as Back to beg of shoulder shaping, ending with same patt row.

Work 1 row patt.

SHAPE SHOULDER - Cast off 5 (5-6-6-6-6) sts at beg of next row and foll alt row. Work 1 row. Cast off rem 4 (6-5-6-7-7) sts.

SLEEVES

Using 4.00mm Needles and **Ostrich**, cast on 33 (35-39-41-43-45) sts loosely.

Work 12 rows stocking st, inc at each end of 5th row, sizes 6, 18, 2, and 3 only - then in foll 6th row.

All sizes ... 37 (37-43-45-47-47) sts.

Beg stripe patt - Work in stripe patt as for Back, inc at each end of 5th (next-5th-7th-7th-next) row and foll 8th (8th-6th-8th-8th-8th) row/s until there are 41 (41-47-59-63-61) sts, sizes 6, 12, 18, and 4 only - then in foll 8th (10th-8th-10th) rows until there are 45 (47-55-65) sts.

All sizes - Cont in patt without shaping until work measures same as Back to beg of armhole shaping, ending with same patt row.

SHAPE TOP - Keeping patt correct, cast off 2 (2-3-3-3-3) sts at beg of next 2 rows ... 41 (43-49-53-57-59) sts.

Dec at each end of next and alt rows until 13 (13-17-23-27-31) sts rem, then in every row until 11 (11-11-13-13-13) sts rem.

Cast off.

NECKBAND

Using back-stitch and 8 Ply, join shoulder seams. With right side facing, using 4.00mm Needles and **Ostrich**, knit up 16 (17-17-18-18-19) sts evenly along right side of neck, knit across sts from back stitch-holder, then knit up 16 (17-17-18-18-19) sts evenly along left side of neck ... 57 (59-59-63-63-67) sts.

Work 5 rows stocking st, beg with a purl row.

Cast off very loosely.

RIGHT FRONT BAND

With right side facing, using 4.00mm Needles and **Ostrich**, knit up 64 (68-72-83-88-92) sts evenly along right front edge and side edge of neckband. Work 1 (1-3-3-5-5) row/s stocking st, beg with a purl row.

Next row - K3, cast off 2 sts, * K12 (13-14-13-14-12), cast off 2 sts, rep from * to last 3 sts, K3.

Next row - P3, turn, cast on 2 sts, turn, * P12 (13-14-13-14-12), turn, cast on 2 sts, turn, rep from * to last 3 sts, P3 ... 5 (5-5-6-6-7) buttonholes. Work 4 (4-6-6-6-6) rows stocking st ... 7 (7-11-11-13-13) rows in all.
Cast off very loosely.

LEFT FRONT BAND

Work to correspond with right front band, omitting buttonholes.

MAKE UP

DO NOT PRESS. Using Knitters Needle sew in all ends. Using back-stitch and 8 Ply, join side and sleeve seams, matching stripes. Sew in sleeves. Sew on buttons.

HAT

Using 4.00mm Needles and Ostrich, cast on 97 (105-105-113-113-113) sts.

Work 12 rows stocking st.

Beg stripe patt - Work in stripe patt as for Back of Jacket until work measures 8 (10-10-12-12-12) cm from beg of stripe patt, working last row on wrong side.

SHAPE CROWN - Keeping stripe patt correct,

1st row - K1, * K2tog, K6, rep from * to end ... 85 (92-92-99-99-99) sts.

Work 1 row patt.

3rd row - K1, * K2tog, K5, rep from * to end ... 73 (79-79-85-85-85) sts.

Work 1 row patt.

5th row - K1, * K2tog, K4, rep from * to end ... 61 (66-66-71-71-71) sts.

Work 1 row patt.

7th row - K1, * K2tog, K3, rep from * to end ... 49 (53-53-57-57-57) sts.

Work 1 row patt.

9th row - K1, * K2tog, K2, rep from * to end ... 37 (40-40-43-43-43) sts.

Work 1 row patt.

11th row - K1, * K2tog, K1, rep from * to end ... 25 (27-27-29-29-29) sts.

Work 1 row patt.

13th row - K1, * K2tog, rep from * to end ... 13 (14-14-15-15-15) sts.

Break off yarn, run end through rem sts, draw up tightly and fasten off securely.

MAKE UP

DO NOT PRESS. Using Knitters Needle sew in all ends. Using back-stitch and 8 Ply, join seam.

Neatening of cast-off buttonholes. When working the cast-on row of buttonhole, before slipping the last cast-on stitch on to the left-hand needle, pass the yarn from back to front between the needles, then slip the stitch on to the left-hand needle and complete the row.

Alternatively, when working the row after buttonhole has been completed, with right-hand needle pick up purlways the loose thread, or threads, at base of buttonhole, slip it on to left-hand needle and work it together with the first stitch on left-hand needle.

Measurements. Always be generous with measurements when an instruction is given to a number of centimetres. Measure in centre of work, with work laid out flat, unless otherwise stated.

Always count number of rows to make sure that different parts of a garment correspond when a measurement is given in instructions.

As most patterns give more than one set of measurements, it is advisable to read through the pattern before beginning to knit. Find where your own size is in the bracket and mark that set of figures throughout the pattern. If any alterations have been made to length or width, take a note of them. A row counter helps to keep a close check. When increasing or decreasing, mark the position with a coloured thread - it makes it easier if the work has to be checked.

Join a new ball of yarn at the beginning of a row whenever possible. If the yarn covers the width of your knitted piece 4 times, you will have enough to finish a row - if not, join a new ball of yarn (the odd length can be used for sewing up). When yarn has to be joined in the middle of a row (e.g. circular knitting) it must be spliced.

17. GORGEOUS FLUFFY SWEATER & HAT IN OSTRICH & 8 PLY

MEASUREMENTS

Size (approx)

Sweater

Fits underarm

Garment measures (approx)

Length

Sleeve seam (approx)

Hat (fits head approx)

The sweater is designed to be a generous fit.

	6	12	18	2	3	4
cm	45	50	52.5	55	57.5	60
ins	18	20	21	22	23	24
cm	53	59	63	65	69	72
cm	29	33	35	39	42	44
cm	17	20	21	25	27	29
cm	45	48	48	52	52	52

PATONS YARN REQUIRED -

Sweater

8 PLY YARNS 50g balls

1st Colour (C1)

2nd Colour (C2)

OSTRICH 50g balls

Hat

8 PLY YARNS 50g balls

1st Colour (C1)

2nd Colour (C2)

OSTRICH 50g balls

4	4	5	5	6	6
1	1	2	2	3	3
2	2	3	3	4	4
1	1	1	2	2	2
1	1	1	1	1	1
1	1	1	1	1	1

IMPORTANT! Use only the yarns specified for these garments. Other yarns may give unsatisfactory results. Quantities are approximate as they can vary between knitters.

1 pair 4.50mm (No 7) Knitting Needles or sizes needed to give correct tension. 2 Stitch Holders and 2 Buttons for **Sweater**; Knitters Needle for sewing seams.

TENSION - 20 sts and 42 rows to 10 cm over patt, using 4.50mm Needles. To work tension square, use 4.50mm Needles, cast on 31 sts. Work 62 rows patt as for Back of **Sweater**. Cast off loosely. Please check your tension carefully. If less sts use smaller needles, if more sts use bigger needles.

ABBREVIATIONS - See page 60.

SWEATER

BACK

Using 4.50mm Needles and C1 8 Ply, cast on 55 (59-63-67-71-75) sts.

Knit 9 rows garter st (1st row is wrong side).

Note - This instruction has been written specifically for the stitch pattern given. Using any other stitch may result in a garment that is the wrong shape or size.

Beg patt - Using **Ostrich**, knit 4 rows garter st.

Using C1 8 Ply, knit 2 rows garter st.

7th row - K3C2 8 Ply, * sl 1 purfways, K3C2 8 Ply, rep from * to end.

8th row - K3C2 8 Ply, * yft, sl 1 purfways, ybk, K3C2 8 Ply, rep from * to end.

Using C1 8 Ply, knit 8 rows garter st.

Last 16 rows form patt.

Cont in patt until work measures 15 cm from beg, working last row on wrong side.



**HAVE YOU CHECKED YOUR TENSION?
NOW IS THE POINT TO CHECK THE
WIDTH OF THE BACK BEFORE YOU
CONTINUE!**

Patt to centre of next row, your panel should measure approx 26.5 (29.5-31.5-32.5-34.5-36) cm in width for a perfect fit, patt to end of row.

Cont in patt until work measures 17 (20-21-25-27-29) cm from beg, working last row on wrong side.
SHAPE ARMHOLES - Keeping patt correct, cast off 3 (3-3-4-4-5) sts at beg of next 2 rows ... 49 (53-57-59-63-65) sts.

Dec at each end of next and alt row/s until 45 (49-51-53-55-57) sts rem. **

Cont in patt without shaping until work measures 29 (33-35-39-42-44) cm from beg, working last row on wrong side.

SHAPE SHOULDERS - Cast off 4 (5-5-5-5-6) sts at beg of next 4 rows, then 4 (4-5-5-6-5) sts at beg of foll 2 rows.

Leave rem 21 (21-21-23-23-23) sts on a stitch-holder.

FRONT

Work as for Back to **.

Cont in patt without shaping until work measures 6 (6.5-6.5-7-7-7.5) cm less than Back to beg of shoulder shaping, working last row on wrong side.

SHAPE NECK - Next row - Patt 18 (20-21-21-22-23), turn.

Cont on these 18 (20-21-21-22-23) sts.

Dec at neck edge in all rows until 12 (14-15-15-16-17) sts rem.

Cont in patt without shaping until work measures 2 cm less than Back to beg of shoulder shaping, working last row on wrong side.

Note - This side of neck is 2 cm lower to accommodate shoulder opening.

SHAPE SHOULDER - Cast off 4 (5-5-5-5-6) sts at beg of next row and foll alt row. Work 1 row. Cast off rem 4 (4-5-5-6-5) sts.

Slip next 9 (9-9-11-11-11) sts onto stitch-holder and leave.

Join yarn to rem sts and patt to end.

Cont on last 18 (20-21-21-22-23) sts.

Dec at neck edge in all rows until 12 (14-15-15-16-17) sts rem.

Cont in patt without shaping until work measures same as Back to beg of shoulder shaping, ending with same patt row.

Work 1 row patt.

SHAPE SHOULDER - Cast off 4 (5-5-5-5-6) sts at beg of next row and foll alt row. Work 1 row. Cast off rem 4 (4-5-5-6-5) sts.

SLEEVES

Using 4.50mm Needles and C1 8 Ply, cast on 27 (31-31-35-35-39) sts.

Knit 9 rows garter st (1st row is wrong side).

Beg patt - Work 8 rows patt as for Back.

Cont in patt (noting that 16 rows form patt rep) and working extra sts into patt, inc at each end of next row and foll 6th (10th-6th-8th-8th-10th) row/s until there are 35 (35-39-39-41-43) sts, then in foll 8th (12th-8th-10th-10th-12th) rows until there are 39 (41-47-51-53-55) sts.

Cont in patt without shaping until work measures same as Back to beg of armhole shaping, ending with same patt row.

SHAPE TOP - Keeping patt correct, cast off 2 (2-2-2-3) sts at beg of next 2 rows ... 35 (37-43-47-49-49) sts.

Dec at each end of next and foll 4th rows until 21 (21-29-35-37-37) sts rem, then in alt rows until 11 (11-11-13-13-13) sts rem.

Work 1 row. Cast off.

NECKBAND

Using back-stitch, join right shoulder seam. With right side facing, using 4.50mm Needles and C1 8 Ply, knit up 9 (11-11-11-11-13) sts evenly along left side of neck, knit across sts from front stitch-holder, knit up 13 (15-15-15-15-17) sts evenly along right side of neck, then knit across sts from back stitch-holder - dec one st in centre ... 51 (55-55-59-59-63) sts.

1st row - Knit.

2nd row - K3C2 8 Ply, * sl 1 purlways, K3C2 8 Ply, rep from * to end.

3rd row - K3C2 8 Ply, * yft, sl 1 purlways, ybk, K3C2 8 Ply, rep from * to end.

Using C1 8 Ply, knit 2 rows garter st.

Cast off loosely knitways.

FRONT SHOULDER BAND

With right side facing, using 4.50mm Needles and C1 8 Ply, knit up 15 (19-19-19-23-23) sts evenly along front shoulder and side edge of neckband.

1st row - Knit.

2nd row - K4, cast off 2 sts, K5 (9-9-9-13-13), cast off 2 sts, K2.

3rd row - K2, turn, cast on 2 sts, turn, K5 (9-9-9-13-13), turn, cast on 2 sts, turn, K4 ... 2 buttonholes. Cast off knitways.

BACK SHOULDER BAND

Work to correspond with Front Shoulder Band, omitting buttonholes.

MAKE UP

DO NOT PRESS. Using Knitters Needle sew in all ends. Lap front shoulder band over back shoulder band and oversew tog at armhole edge. Using back-stitch, join side and sleeve seams, matching patt. Sew in sleeves. Sew on buttons.

HAT

Using 4.50mm Needles and C1 8 Ply, cast on 87 (91-91-99-99-99) sts.

Knit 9 rows garter st (1st row is wrong side).

Beg patt - Work 42 (46-46-50-50-50) rows patt as for Back of Sweater - dec 2 (6-6-0-0-0) sts evenly across last row ... 85 (85-85-99-99-99) sts.

SHAPE CROWN - Keeping patt correct, 1st row - K1, * K2tog, K5, rep from * to end ... 73 (73-73-85-85-85) sts.

Work 1 row patt.

3rd row - K1, * K2tog, K4, rep from * to end ... 61 (61-61-71-71-71) sts.

Work 1 (1-1-3-3-3) row/s patt.

Next row - K1, * K2tog, K3, rep from * to end ... 49 (49-49-57-57-57) sts.

Work 1 (1-1-3-3-3) row/s patt.

Next row - K1, * K2tog, K2, rep from * to end ... 37 (37-37-43-43-43) sts.

Work 1 (3-3-3-3-3) row/s patt.

Next row - K1, * K2tog, K1, rep from * to end ... 25 (25-25-29-29-29) sts.

Work 1 (3-3-3-3-3) row/s patt.

Next row - K1, * K2tog, rep from * to end ... 13 (13-13-15-15-15) sts.

Break off yarn, run end through rem sts, draw up tightly and fasten off securely.

MAKE UP

DO NOT PRESS. Using Knitters Needle sew in all ends. Using back-stitch, join seam, matching patt. Using C1 8 Ply, make a pom pon (see page 23) attach to top of crown as pictured.

KNITTING STITCH EMBROIDERY

Interest can be added to garments with Knitting Stitch embroidery - this is very easy to do, especially if you do the embroidery before you sew up the garment. Knitting stitch is worked over each knitted stitch with a contrasting colour. It is necessary to use yarn of the same thickness as the knitted garment. Be careful not to pull the stitch too tightly and it will cover the existing stitch completely.

A completed stitch looks like a "V". Each square on the graph represents one stitch. It is a good idea, before beginning, to colour in the graph in the colours to be used.

Begin at lower edge of graph, on the right-hand side.

Using a tapestry or knitters needle, bring the needle from the back through the centre of the stitch below the one to be covered.



* Take needle from right to left under both strands of stitch above the one to be covered.

Bring needle back to the start of the stitch, take needle behind 2 strands in row below and across into the centre of next stitch. You have worked one knitting stitch.

Repeat following graph for required number of stitches. To finish, bring needle back to the start of the stitch and through to the back of the work.

To begin the second row - Bring needle from back to centre of stitch below the one to be covered. Working from left to right pick up both strands of stitch in row above the one to be covered.

Take needle back to beginning of stitch, pick up 2 strands which brings the needle across into centre of next stitch. When working stitch above one worked in the previous row your needle will come up in the centre of this worked stitch. Repeat this, following graph for number of stitches to be worked.



KNITTING ABBREVIATIONS

K=knit; **P**=purl; **sl**=slip; **psso**=pass slipped stitch(es) over; **tbl**=through back of loop(s); **ybk**=yarn back-take yarn under needle from purling position into knitting position; **yft**=yarn front - bring yarn under needle from knitting position into purling position; **yfwd**=yarn forward - bring yarn under needle, then over into knitting position again, thus making a stitch; **yon**=yarn over needle - take yarn over top of needle into knitting position, thus making a stitch; **ym**=yarn round needle-take yarn right round needle into purling position, thus making a stitch; **MI**=Make 1- pick up loop which lies before next stitch, place on left-hand needle and knit (or purl) into back of loop; **garter st**=every row knit; **stocking st**=1 row knit, 1 row purl; **purl fabric**=1 row purl, 1 row knit (purl side is right side).

When instructions read - "Cast off 2 sts, K2" (or similar stitches), the stitch left on the right-hand needle, after casting off, is counted as one stitch.

alt=alternate; **beg**=begin or beginning; **cont**=continue; **dec**=decrease, decreased, decreases or decreasing; **fol**=following or follows; **inc**=increase, increased, increases or increasing; **incl**=including or inclusive; **0**=no rows, stitches or times; **patt**=pattern; **rem**=remain, remains, remainder or remaining; **rep**=repeat; **st, sts**=stitch, stitches; **tog**=together; **cm**=centimetre(s); **mm**=millimetre(s); **ins**=inches.

The first row is always the right side of the work unless otherwise stated.

THE Patons HAND KNIT RATINGS HELP YOU CHOOSE THE PATTERN SUITED TO YOUR KNITTING ABILITY

 One beehive says this is a beginner level of knitting. Knit and Purl stitches, casting on and off and some basic increasing and decreasing.

 Two beehives mean easy knits, with knit-purl stitch patterns, simple lace patterns (no shaping in the lace), slip-stitch patterns, and cables.

 Three beehives are for advanced knitters, requiring some specialised knowledge such as Fair Isle, Aran and more complicated lace patterns.

 Four beehives signal a challenge knit. There can be make and lose patterns, complicated shaping, and any technique that requires a higher level of concentration.

P The letter P after any beehive grouping suggests that an additional degree of patience is required for a quality finish.

visit our website - www.patons.biz

A Patons 81 Denmark St, Kew, Victoria, Australia, 3101, A.B.N 85 055 366 590
Assistline - (03) 9852 9444 or Toll Free - 1800 333 642

We have made every effort to ensure that these instructions are accurate and complete. However, we cannot be responsible for variations in individual work, human error or if yarn other than the recommended Patons yarn is used. This publication is protected by copyright.

Style 10

Checkerboard Tunic
Sweater & Hat in 8ply



madam.sytes.net

Style 11

Wee Willie Winkie Cross
Over Shawl Neck Sweater
& Hat in 8ply





Style 12

5 Colour Slip Stitch
Jacket & Hat in 8ply

madam style mag


Style 13

Feather & Fan Tunic
& Hat in Feathers
& 8ply

madam.sytes.net

Style 14

Bunny Rabbit Cardigan
& Hat in 8ply



manam.sytes.net



Style 15

Colourful Moss Stitch
Jacket & Hat in 8ply

madam.sylvia.net

This page: Style 16

Ostrich & Bply Fur Coat
& Hat.

Back Cover: Style 17

Gorgeous Fluffy Sweater
& Hat in Ostrich & Bply



madam.sytes.net

The Patons logo, featuring a stylized 'P' icon followed by the brand name 'Patons' in a bold, sans-serif font, all contained within a dark blue rounded rectangular border.

BOOK 1217
PATONS 8 PLY
& FASHION YARNS
17 STYLES & HATS
SIZES 6 MTHS
TO 4 YEARS



Y80001-PRICE Code J

